


Sauroma/us
obesus

LOOSE LEAF INDEX

DURABLE INDEX
DIVIDERS, SUITA-
BLE FOR SCHOOL
OR COMMERCIAL
USE



IDEAL FOR CLAS-
SIFYING OR SEPA-
RATING STUDIES,
VARIOUS SUBJEC-
TS OR MISCELL-
ANEOUS DATA.

CLASS SCHEDULE

PERIOD TIME	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH
COURSE MONDAY INSTRUCTOR								
COURSE TUESDAY INSTRUCTOR								
COURSE WEDNESDAY INSTRUCTOR								
COURSE THURSDAY INSTRUCTOR								
COURSE FRIDAY INSTRUCTOR								
COURSE SATURDAY INSTRUCTOR								

NAME _____

SCHOOL _____ CLASS _____

HOME ADDRESS _____

CITY _____ TELEPHONE _____

Sauromalus
obesus

SPECIES

Sauromalus obesus

No.	Sex	Weight (gms)	Length (mm.)	Locality	Date	
1	♂		119	spur of Coyote Canyon, D.C.D.R.S.	4/19/59	imm.
2	♂		163	" " "	"	ad. cl. temp. 24.4°C.
7	♂		185	Released from captivity at 15 mile point, San Bernardino Co., Calif.	5/15/59	very emaciated



Digitized by the Internet Archive
in 2017 with funding from
CLIR

SPECIES SAUROMALUS OBESUS TAG NO.

CONTAINER NO. R44 SEX ♂ AGE ad? TOE CLIP# 1

WEIGHT(gms) 90.7 SNOUT-VENT LENGTH(mm) 137

DATE JUN 4 1964 SPEEDOMETER

LOCALITY 6 mi. E. of Glamis (Purgatory Wash)

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1345 CLOUDS(% overcast) 60 (thin)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) -

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT ROCKY SLOPE wash

CHASE 0 FEET

REMARKS: in crevice in rock (hoosed it)

Escaped

SPECIES

SAURONMAUS OBEUS

TAG NO.

WEIGHT(gms)

CONTAINER NO. 144

SEX

AGE

TOE CLIP

SNOUT-VENT LENGTH(mm)

DATE

SPEEDOMETER

LOCALITY

COUNTY

CALIFORNIA

STANDARD TIME

CLOUDS(% overcast)

MOON

RELATIVE HUMIDITY(%)

WIND DIRECTION

ALTITUDE(ft)

WIND VELOCITY(mi/hr)

ROAD TEMP.

AIR TEMP(30 in)

AIR TEMP(1 cm)

SOIL SURFACE TEMP

CLOACAL TEMP

ROCK SURFACE TEMP

SUBSTRATE TEMP

HABITAT

ROCKY SLOPE

CHASE


FEET

REMARKS:


Escaped

Sceloporus
graciosus

Sceloporus
graciosus



SPECIES Sceloporus graciosusSACK NO. B4 SEX ♂ AGE immWEIGHT(gms) 2.6 SNOUT-VENT LENGTH(mm) 42DATE May 17, 1959 SPEEDOMETER 13903LOCALITY South Fork campground, Barton Flats,
San Bernardino Co., Calif.STANDARD TIME 0855 CLOUDS 30%MOON — RELATIVE HUMIDITY(%) —WIND DIRECTION N.W. ALTITUDE(ft) 6300WIND VELOCITY(miles/hour) 1-2 TAG NO. —AIR TEMPERATURE (30") 18.8 °C (1cm) 23.2 °CROAD TEMPERATURE — °C — °FSOIL SURFACE TEMPERATURE 30.2 °C — °FCLOACAL TEMPERATURE — °C — °FHABITAT RiparianREMARKS: —



SPECIES *Sceloporus graciosus*

SACK NO. B30

SEX

♂

AGE

imm

WEIGHT(gms) 2.0

SNOUT-VENT LENGTH(mm)

38

DATE May 17, 1959

SPEEDOMETER

13903

LOCALITY South Fork campground, Barton
Flats, San Bernardino Co., Calif.

STANDARD TIME 0907

CLOUDS

30%.

MOON

—

RELATIVE HUMIDITY(%)

—

WIND DIRECTION N.W. ALTITUDE(ft) 6300

WIND VELOCITY(miles/hour) 1-2 TAG NO.

AIR TEMPERATURE (30") 18.8 °C (1cm) 23.2 °C

ROAD TEMPERATURE

°C

°F

SOIL SURFACE TEMPERATURE 30.2

°C

°F

CLOACAL TEMPERATURE

°C

°F

HABITAT

Riparian

REMARKS:

TC # 6

SPECIES Sceloporus graciosusSACK NO. B15 SEX ♀ AGE imm.WEIGHT(gms) 0.7 SNOUT-VENT LENGTH (mm) 31DATE May 17, 1959 SPEEDOMETER 13903LOCALITY South Fork campground, Barton
Flats, San Bernardino Co., Calif.STANDARD TIME 0955 CLOUDS 30%MOON — RELATIVE HUMIDITY(%) —WIND DIRECTION N.W. ALTITUDE(ft) 6300WIND VELOCITY (miles/hour) 1-2 TAG. NO. —AIR TEMPERATURE (30") 18.8 °C (1cm) 23.2 °C

ROAD TEMPERATURE °C °F

SOIL SURFACE TEMPERATURE 30.2 °C °F

CLOACAL TEMPERATURE °C °F

HABITAT RiparianREMARKS: —

1. The first part of the paper

is devoted to a general

discussion of the problem

and the methods used

in the investigation

of the properties of the

functions considered

in the present paper

and the results obtained

are given in the next

section of the paper

and the conclusions are

drawn in the final

section of the paper

and the references are

given in the appendix

of the paper

and the acknowledgments

are given in the

Sceloporus graciosus

CONTAINER NO. B11 SEX ♀ AGE imm. TOE-CLIP # 7

WEIGHT(gms) 2.7 SNOUT-VENT LENGTH(mm) 41

DATE May 17, 1959 SPEEDOMETER 13903

LOCALITY South Fork campground, Barton Flats

COUNTY San Bernardino STATE Calif.

STANDARD TIME 0945 CLOUDS(% overcast) 30

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 6300

WIND VELOCITY(mi./hr.) 1-2 ROAD TEMP. °C

SOIL TEMP (20 cm) 18.8 °C AIR TEMP(1 cm) 23.2 °C

ROCK SURFACE TEMP 30.2 °C CLOACAL TEMP °C

WET SURFACE TEMP °C

HABITAT Riparian

REMARKS: on log

SPECIES Sceloporus graciosusSACK NO. 87 SEX ♀ AGE imm.WEIGHT(gms) 1.1 SNOUT-VENT LENGTH (mm) 32DATE May 17, 1959 SPEEDOMETER 13915LOCALITY San Geronio Wilderness area, San Bernardino Co., Calif.STANDARD TIME 1530 CLOUDS 30%MOON — RELATIVE HUMIDITY(%) —WIND DIRECTION N.W. ALTITUDE(ft) 7800WIND VELOCITY (miles/hour) 9-12 TAG NO. —AIR TEMPERATURE (30") 17.0 °C (1cm) 26.0 °C

ROAD TEMPERATURE _____ °C _____ °F

SOIL SURFACE TEMPERATURE 50.0 °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT Coniferous forest

REMARKS: _____

SPECIES Sceloporus graciosusSACK NO. B4 SEX ♀ AGE imm (~~ad~~)WEIGHT(gms) 1.6 SNOUT-VENT LENGTH (mm) 38DATE May 17, 1959 SPEEDOMETER 13903LOCALITY South Fork campground, Barton Flats,
San Bernardino Co., Calif.STANDARD TIME 0853 CLOUDS 30%.MOON — RELATIVE HUMIDITY(%) —WIND DIRECTION N. W. ALTITUDE(ft) 6300WIND VELOCITY (miles/hour) 1-2 TAG NO. —AIR TEMPERATURE (30") 18.8 °C (1cm) 23.2 °C

ROAD TEMPERATURE _____ °C _____ °F

SOIL SURFACE TEMPERATURE 30.2 °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT RiparianREMARKS: on a log

Sceloporus graciosus

CONTAINER NO. Y9 SEX ♂ AGE ad. TAIL CLIP 8

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE Aug. 14, 1959 SPEEDOMETER 2853

LOCALITY Cow Creek, 5 mi. N. of Strawberry

COUNTY Tuolumne CALIF.

STARTING TIME 0935 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 5700

WIND VELOCITY (mi/hr) 0 ROAD TEMP. _____

SOIL TEMP (20 in) 23.8 °C AIR TEMP(1cm) 31.2

SOIL SURFACE TEMP 46.0 °C CLOACAL TEMP 34.8

ROCK SURFACE TEMP _____ °C

VEGETATION yellow pine forest

REMARKS: came from buck brush into the open

on soil. No chase.

Dead on arrival at UCR

Sceloporus graciosus

ad.

DATE Aug. 26, 1959

UPPERMETER 30350

LOCALITY 1/2 mi S. of Blue Ridge Campground

CALIF.

BAROMETER 1730

CLOUDS(2 overcast)

0

RELATIVE HUMIDITY(%)

35

0

ALTITUDE(ft.) 8000

0

ROAD TEMP.

19.0

°C

AIR TEMP(1cm)

20.4

29.2

°C

CLOACAL TEMP

34.2

°C

HABITAT coniferous forest

REMARKS: in sun on rock. No chase. Escaped from Frank Awbrey while being removed from noose.

SPECIES Sceloporus graciosus TAG. NO. ~~59~~

CONTAINER NO. - SEX ♂ AGE ad. TOE CLIP# -

WEIGHT(gms) - SNOUT-VENT LENGTH(mm) -

DATE Sept. 4, 1959 SPEEDOMETER -

LOCALITY San Geronimo Wilderness Area

COUNTY San Bernardino CALIF.

STANDARD TIME 1600 CLOUDS(% overcast) 0

MOON - RELATIVE HUMIDITY(%) -

WIND DIRECTION 0 ALTITUDE(ft.) 7800

WIND VELOCITY(mi/hr) 0 ROAD TEMP. - °C

AIR TEMP(30 in) 28.0 °C AIR TEMP(1 cm) 31.8 °C


SOIL SURFACE TEMP 47.2 °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP - °C SUBSTRATE TEMP - °C

HABITAT coniferous forest

CHASE 30 FEET

REMARKS: in sun on log. Escaped before
it could be toe-clipped.



SPECIES SCELOPORUS GRACIOSUS TAG NO.

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 19 1962 SPEEDOMETER

LOCALITY Near Black Mt. campground

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1500 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 6600

WIND VELOCITY(mi/hr) ° ROAD TEMP. °C

AIR TEMP(30 in) °C		AIR TEMP(1 cm) °C	
1	10.0	1	10.0
2	10.0	2	10.0
3	10.0	3	10.0
4	10.0	4	10.0
5	10.0	5	10.0
6	10.0	6	10.0
7	10.0	7	10.0
8	10.0	8	10.0
9	10.0	9	10.0
10	10.0	10	10.0
11	10.0	11	10.0
12	10.0	12	10.0
13	10.0	13	10.0
14	10.0	14	10.0
15	10.0	15	10.0
16	10.0	16	10.0
17	10.0	17	10.0
18	10.0	18	10.0
19	10.0	19	10.0
20	10.0	20	10.0
21	10.0	21	10.0
22	10.0	22	10.0
23	10.0	23	10.0
24	10.0	24	10.0
25	10.0	25	10.0
26	10.0	26	10.0
27	10.0	27	10.0
28	10.0	28	10.0
29	10.0	29	10.0
30	10.0	30	10.0
31	10.0	31	10.0
32	10.0	32	10.0
33	10.0	33	10.0
34	10.0	34	10.0
35	10.0	35	10.0
36	10.0	36	10.0
37	10.0	37	10.0
38	10.0	38	10.0
39	10.0	39	10.0
40	10.0	40	10.0
41	10.0	41	10.0
42	10.0	42	10.0
43	10.0	43	10.0
44	10.0	44	10.0
45	10.0	45	10.0
46	10.0	46	10.0
47	10.0	47	10.0
48	10.0	48	10.0
49	10.0	49	10.0
50	10.0	50	10.0
51	10.0	51	10.0
52	10.0	52	10.0
53	10.0	53	10.0
54	10.0	54	10.0
55	10.0	55	10.0
56	10.0	56	10.0
57	10.0	57	10.0
58	10.0	58	10.0
59	10.0	59	10.0
60	10.0	60	10.0
61	10.0	61	10.0
62	10.0	62	10.0
63	10.0	63	10.0
64	10.0	64	10.0
65	10.0	65	10.0
66	10.0	66	10.0
67	10.0	67	10.0
68	10.0	68	10.0
69	10.0	69	10.0
70	10.0	70	10.0
71	10.0	71	10.0
72	10.0	72	10.0
73	10.0	73	10.0
74	10.0	74	10.0
75	10.0	75	10.0
76	10.0	76	10.0
77	10.0	77	10.0
78	10.0	78	10.0
79	10.0	79	10.0
80	10.0	80	10.0
81	10.0	81	10.0
82	10.0	82	10.0
83	10.0	83	10.0
84	10.0	84	10.0
85	10.0	85	10.0
86	10.0	86	10.0
87	10.0	87	10.0
88	10.0	88	10.0
89	10.0	89	10.0
90	10.0	90	10.0
91	10.0	91	10.0
92	10.0	92	10.0
93	10.0	93	10.0
94	10.0	94	10.0
9			

SOIL SURFACE TEMP °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT **YELLOW PINE FOREST**

CHASE 0 FEET

REMARKS: escaped. In sun on rock

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. R16 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 19 1962 SPEEDOMETER _____

LOCALITY Marion Mt. campground

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1220 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 6 FEET

REMARKS: in sun on rock

Sent to Don Hunsaker — San Diego State
College.

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. RS SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 19 1982 SPEEDOMETER _____

LOCALITY Marion Mt. campground

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1145 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: in broken shade on rock

Sent to D. Hunsaker - S.D. State

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

SPECIES SCELOPORUS GRACIOSUS TAG NO.

CONTAINER NO. B53 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm)

DATE MAY 19 1962 SPEEDOMETER

LOCALITY Marion Mt. campground

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1230 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 20 FEET

REMARKS: in sun on rock

Sent to D. Hunsaker — S.D. State

THE

THE

THE

THE

THE

THE

THE

THE

THE

THE

THE

THE

THE

THE

THE

THE

THE

THE

THE

THE

THE

THE

THE

THE

THE

THE

THE

THE

THE

THE

THE

SCELOPORUS GRACIOSUS

SPECIES TAG NO.

CONTAINER NO. B53 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm)

DATE MAY 19 1962 SPEEDOMETER

LOCALITY Marion Mt. campground

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1205 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 31.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 2 FEET

REMARKS: in sun on rock

Sent to D. Hunsaker — S. D. State

DATE _____

LOCATION _____

TIME _____

STATE _____

COUNTY _____

SECTION _____

TOWNSHIP _____

RANGE _____

SECTION _____

ACRES _____

SECTION _____

SECTION _____

SECTION _____

SECTION _____

SECTION _____

SECTION _____

SECTION _____

SECTION _____

SECTION _____

SECTION _____

SECTION _____

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. R8 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE May 20, 1962 SPEEDOMETER _____

LOCALITY Black Mt. campground

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1015 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 8 FEET

REMARKS: in sun on rock

Sent to D. Hunsaker — S.D. State

DATE OF _____

TIME OF _____

LOCATION _____

STATION _____

WEATHER _____

WIND _____

TEMPERATURE _____

RELATIVE HUMIDITY _____

ATMOSPHERIC _____

WIND DIRECTION _____

WIND VELOCITY _____

WIND FORCE _____

WIND STATE _____

WIND EFFECT _____

WIND TYPE _____

WIND DURATION _____

WIND INTENSITY _____

WIND CHARACTER _____

WIND BEHAVIOR _____

WIND TENDENCY _____

WIND PATTERN _____

WIND ANALYSIS _____

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. 014 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 19 1962 SPEEDOMETER _____

LOCALITY Marion Mt. Campground

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1050 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 8 FEET

REMARKS: in sun on ground

Sent to D. Hunsaker - S.D. State

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. 014 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 19 1962 SPEEDOMETER _____

LOCALITY Marion Mt. campground

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1130 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 50 FEET

REMARKS: in sun on ground

Sent to D. Hunsaker - S. D. State

DATE _____

TIME _____

LOCATION _____

REMARKS _____

INITIALS _____

DATE _____

TIME _____

LOCATION _____

REMARKS _____

INITIALS _____

DATE _____

TIME _____

LOCATION _____

REMARKS _____

INITIALS _____

DATE _____

TIME _____

LOCATION _____

REMARKS _____

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. Y 11 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 19 1962 SPEEDOMETER _____

LOCALITY Marion Mt. campground

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1205 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 6 FEET

REMARKS: in sun on rock

Sent to D. Hunsaker - S.D. State

DATE

TIME

WIND

SEA

WAVE

TEMPERATURE

WIND DIRECTION

WAVE DIRECTION

WIND SPEED

WAVE PERIOD

WAVE HEIGHT

WAVE PERIOD

WAVE DIRECTION

WAVE PERIOD

WAVE DIRECTION

WAVE PERIOD

WAVE DIRECTION

WAVE PERIOD

WAVE DIRECTION

WAVE PERIOD

WAVE DIRECTION

WAVE PERIOD

WAVE DIRECTION

WAVE PERIOD

WAVE DIRECTION

WAVE PERIOD

WAVE DIRECTION

WAVE PERIOD

WAVE PERIOD

WAVE DIRECTION

WAVE PERIOD

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. Y11 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 19 1962 SPEEDOMETER _____

LOCALITY Marion Mt. campground

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1250 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 30 FEET

REMARKS: in sun on rock

Sent to D. Hunsaker — S. D. State

SPECIES SCELOPORUS GRACIOSUS TAG NO.

CONTAINER NO. Y11 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 19 1982 SPEEDOMETER

LOCALITY Fern Basin Campground

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1330 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 6000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 8 FEET

REMARKS: in sun on stump

Sent to D. Hunsaker - S. D. State

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE JUN 3 1962 SPEEDOMETER _____

LOCALITY Azalea Trails Camp (Girl Scouts)

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1510 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6800

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 30.8 °C


ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 20 FEET

REMARKS: in sun on ground

(Released)



SPECIES SCELOPORUS GRACIOSUS TAG NO.

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 61

DATE JUN 27 1962 SPEEDOMETER

LOCALITY Table Mt. Campground

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1250 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 7200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: in sun on log

(Released)

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. - SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 58

DATE JUN 27 1962 SPEEDOMETER _____

LOCALITY Blue Ridge Campground

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1330 CLOUDS(% overcast) 0

MOON - RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7850

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 6 FEET

REMARKS: in sun on ground
(Released)

Page 10

2/10/73

10/11/72

10/11/72

10/11/72

10/11/72

10/11/72

10/11/72

10/11/72

10/11/72

10/11/72

10/11/72

10/11/72

10/11/72

10/11/72

10/11/72

10/11/72

10/11/72

10/11/72

10/11/72

10/11/72

10/11/72

10/11/72

10/11/72

10/11/72

10/11/72

10/11/72

10/11/72

10/11/72

10/11/72

SPECIES SCELOPORUS GRACIOSUS TAG NO.

CONTAINER NO. - SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 57

DATE JUN 27 1962 SPEEDOMETER

LOCALITY Blue Ridge Campground

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1345 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION ° ALTITUDE(ft) 7850

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in)	°C	AIR TEMP(1 cm)	°C
-----------------	----	----------------	----

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.6 °C


ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: in sun on log

(Released)



SPECIES SCELOPORUS GRACIOSUS TAG NO.

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 59

DATE JUN 27 1962 SPEEDOMETER

LOCALITY Blue Ridge Campground

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1345 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 7850

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 36.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 50 FEET

REMARKS: in sun on ground

(Released)

[illegible]

SCELOPORUS GRACIOSUS

SPECIES _____ TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 40

DATE APR 24 1963 SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 13 00 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 14.0 °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP 29.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: Released



SCELOPORUS GRACIOSUS

SPECIES _____ TAG NO. _____

CONTAINER NO. _____ SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 39

DATE APR 24 1963 SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1310 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 14.0 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 28.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: Released

SCELOPORUS GRACIOSUS

SPECIES

TAG NO.

CONTAINER NO.

SEX

AGE

TOE CLIP#

WEIGHT(gms)

SNOUT-VENT LENGTH(mm)

DATE

APR 24 1963

SPEEDOMETER

LOCALITY

Pine Cove

COUNTY

RIVERSIDE

CALIFORNIA

STANDARD TIME

1345

CLOUDS(% overcast)

0

MOON

—

RELATIVE HUMIDITY(%)

WIND DIRECTION

0

ALTITUDE(ft)

6300

WIND VELOCITY(mi/hr)

0

ROAD TEMP.

°C

AIR TEMP(1 m)

14.0

°C

AIR TEMP(1 cm)

°C

SOIL SURFACE TEMP

°C

CLOACAL TEMP

35.6

°C

ROCK SURFACE TEMP

°C

SUBSTRATE TEMP

°C

HABITAT

YELLOW PINE FOREST

CHASE

1

FEET

REMARKS:

Released

_____ (1) _____
_____ (2) _____
_____ (3) _____
_____ (4) _____
_____ (5) _____
_____ (6) _____
_____ (7) _____
_____ (8) _____
_____ (9) _____
_____ (10) _____
_____ (11) _____
_____ (12) _____
_____ (13) _____
_____ (14) _____
_____ (15) _____
_____ (16) _____
_____ (17) _____
_____ (18) _____
_____ (19) _____
_____ (20) _____
_____ (21) _____
_____ (22) _____
_____ (23) _____
_____ (24) _____
_____ (25) _____
_____ (26) _____
_____ (27) _____
_____ (28) _____
_____ (29) _____
_____ (30) _____
_____ (31) _____
_____ (32) _____
_____ (33) _____
_____ (34) _____
_____ (35) _____
_____ (36) _____
_____ (37) _____
_____ (38) _____
_____ (39) _____
_____ (40) _____
_____ (41) _____
_____ (42) _____
_____ (43) _____
_____ (44) _____
_____ (45) _____
_____ (46) _____
_____ (47) _____
_____ (48) _____
_____ (49) _____
_____ (50) _____
_____ (51) _____
_____ (52) _____
_____ (53) _____
_____ (54) _____
_____ (55) _____
_____ (56) _____
_____ (57) _____
_____ (58) _____
_____ (59) _____
_____ (60) _____
_____ (61) _____
_____ (62) _____
_____ (63) _____
_____ (64) _____
_____ (65) _____
_____ (66) _____
_____ (67) _____
_____ (68) _____
_____ (69) _____
_____ (70) _____
_____ (71) _____
_____ (72) _____
_____ (73) _____
_____ (74) _____
_____ (75) _____
_____ (76) _____
_____ (77) _____
_____ (78) _____
_____ (79) _____
_____ (80) _____
_____ (81) _____
_____ (82) _____
_____ (83) _____
_____ (84) _____
_____ (85) _____
_____ (86) _____
_____ (87) _____
_____ (88) _____
_____ (89) _____
_____ (90) _____
_____ (91) _____
_____ (92) _____
_____ (93) _____
_____ (94) _____
_____ (95) _____
_____ (96) _____
_____ (97) _____
_____ (98) _____
_____ (99) _____
_____ (100) _____

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) ----- SNOUT-VENT LENGTH(mm) 42

DATE APR 24 1963 SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1355 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 14.0 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. ~~323~~

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# —

WEIGHT(gms) ----- SNOUT-VENT LENGTH(mm) —

DATE APR 24 1963 SPEEDOMETER —

LOCALITY 2 mi. N. of Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1430 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft) 5850

WIND VELOCITY(mi/hr) 0 ROAD TEMP. — °C

AIR TEMP(1 m) — °C AIR TEMP(1 cm) — °C

SOIL SURFACE TEMP — °C CLOACAL TEMP 31.0 °C

ROCK SURFACE TEMP — °C SUBSTRATE TEMP — °C

HABITAT YELLOW PINE FOREST

CHASE — FEET

REMARKS: Released

—

—

—

—

DATE OF BIRTH _____

PLACE OF BIRTH _____

EDUCATION _____

RELIGION _____

PROFESSION _____

RESIDENCE _____

DATE OF DEATH _____

CAUSE OF DEATH _____

SEX _____

AGE _____

HEIGHT _____

WEIGHT _____

HAIR _____

EYES _____

SKIN _____

TEETH _____

TOES _____

FEET _____

HANDS _____

WRISTS _____

ELBOWS _____

SHOULDER _____

NECK _____

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) ----- SNOUT-VENT LENGTH(mm) 37

DATE APR 24 1968 SPEEDOMETER _____

LOCALITY 2 mi. N. of Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1430 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 5850

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 14.0 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 28.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 10 FEET

REMARKS: Released

DATE _____ TIME _____
LOCATION _____
WEATHER _____
OBSERVER _____
INSTRUMENT _____
REMARKS _____

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 36

DATE APR 24 1963 SPEEDOMETER _____

LOCALITY 2 mi. N. of Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1555 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 5850

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 14.0 °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP 29.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: Released



SPECIES SCELOPORUS GRACIOSUS TAG NO. ~~337~~

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# —

WEIGHT(gms) — SNOUT-VENT LENGTH(mm) —

DATE MAY 18 1963 SPEEDOMETER —

LOCALITY Black Mt.

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0905 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft) 7300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. — °C

AIR TEMP(1 m) — °C AIR TEMP(1 cm) — °C

SOIL SURFACE TEMP — °C CLOACAL TEMP 34.2 °C

ROCK SURFACE TEMP — °C SUBSTRATE TEMP — °C

HABITAT YELLOW PINE FOREST

CHASE 1 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) ----- SNOUT-VENT LENGTH(mm) 32

DATE MAY 18 1963 SPEEDOMETER _____

LOCALITY Black Mt.

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0955 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) ----- SNOUT-VENT LENGTH(mm) _____

DATE MAY 18 1963 SPEEDOMETER _____

LOCALITY Black Mt.

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1010 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: Released

SPECIES SCeloporus oracoides TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 20 1963 SPEEDOMETER _____

LOCALITY Black Mt.

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1200 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 7300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. ~~360~~

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# —

WEIGHT(gms) — SNOUT-VENT LENGTH(mm) 34

DATE MAY 20 1963 SPEEDOMETER —

LOCALITY Blue Ridge

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1225 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION SW ALTITUDE(ft) 7300

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. — °C

AIR TEMP(1 m) — °C AIR TEMP(1 cm) — °C


SOIL SURFACE TEMP — °C CLOACAL TEMP 33.8 °C

ROCK SURFACE TEMP — °C SUBSTRATE TEMP — °C

HABITAT YELLOW PINE FOREST

CHASE 10 FEET

REMARKS: Release



SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 32

DATE MAY 2 1968 SPEEDOMETER _____

LOCALITY Blue Ridge

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1330 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 7300

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 10 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. _____ SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 42

DATE JUN 5 1963 SPEEDOMETER _____

LOCALITY Barton Flats

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0925 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE ? FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. _____ SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 40

DATE JUN 5 1963 SPEEDOMETER _____

LOCALITY Barton Flats

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1000 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 27.9 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE ? FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. _____ SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 51

DATE JUN 5 1983 SPEEDOMETER _____

LOCALITY Barton Flats

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1025 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 20 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. _____ SEX ♀ AGE 1mm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 42

DATE JUN 5 1963 SPEEDOMETER _____

LOCALITY Barton Flats

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 10.30 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 25 FEET

REMARKS: Released



SPECIES SCeloporus GRACIOSUS TAG NO. _____

CONTAINER NO. _____ SEX ♂ AGE 1mm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 51

DATE JUN 5 1961 SPEEDOMETER _____

LOCALITY _____

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1040 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: Released



SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. _____ SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 39

DATE JUN 5 1963 SPEEDOMETER _____

LOCALITY Barton Flats

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1045 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: Released

SPECIES SCELOFORUS GRACIOSUS TAG NO. _____

CONTAINER NO. _____ SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 47

DATE JUN 5 1963 SPEEDOMETER _____

LOCALITY _____

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1055 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: Released

DATE _____ TIME _____
LOCATION _____
WIND DIRECTION _____ WIND VELOCITY (KNOTS) _____
WAVE DIRECTION _____ WAVE VELOCITY (KNOTS) _____
SEA STATE _____
VISIBILITY _____
CLOUDS _____
MOON _____
STAR _____
OTHER _____

SPECIES SCELOPORUS GRACIOSUS TAG NO.

CONTAINER NO. 1 SEX ♀ AGE Imm TOE CLIP#

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 43

DATE JUL 15 1963 SPEEDOMETER _____

LOCALITY Barton Flats

COUNTY **SAN BERNARDINO** CALIFORNIA

STANDARD TIME 1240 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr)_____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT **YELLOW PINE FOREST**

CHASE 0 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO.

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP#

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 41

DATE JUL 16 1963 SPEEDOMETER

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0910 CLOUDS(% overcast)

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 10 FEET

REMARKS: released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 45

DATE 11 1883 SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0955 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 20 FEET

REMARKS: released

SPECIES SCELOPORUS GRACIOSUS TAG NO.

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# —

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 40

DATE JUL 16 1963 SPEEDOMETER

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1050 CLOUDS(% overcast) 0

[illegible]

WIND DIRECTION	0	ALTITUDE(ft)	6300
----------------	---	--------------	------

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in)	°C	AIR TEMP(1 cm)	°C
-----------------	----	----------------	----

SOIL SURFACE TEMP °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: released

[The page contains faint, illegible markings and bleed-through from the reverse side.]

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 40

DATE JUL 16 1963 SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1055 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 30 FEET

REMARKS: released

STANDARD NO. 1000

STANDARD NO. 1000

STANDARD NO. 1000

STANDARD NO. 1000

STANDARD NO. 1000

STANDARD NO. 1000

STANDARD NO. 1000

STANDARD NO. 1000

STANDARD NO. 1000

STANDARD NO. 1000

STANDARD NO. 1000

STANDARD NO. 1000

STANDARD NO. 1000

STANDARD NO. 1000

STANDARD NO. 1000

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. B56 SEX ♂ AGE ad? TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 53

DATE JUL 18 1963 SPEEDOMETER _____

LOCALITY Blue Ridge

LOS ANGELES

COUNTY ~~SAN BERNARDINO~~ CALIFORNIA

STANDARD TIME 1120 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: Released



SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad? TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE JUL 18 1963 SPEEDOMETER _____

LOCALITY Blue Ridge

COUNTY LOS ANGELES ~~SAN DIEGO~~ CALIFORNIA

STANDARD TIME 1140 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 28.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 5 FEET

REMARKS: Released



SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 46

DATE JUL 18 1963 SPEEDOMETER _____

LOCALITY Blue Ridge

COUNTY LOS ANGELES
SAN BERNARDINO CALIFORNIA

STANDARD TIME 1130 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 7300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: Released



SCELOPORUS GRACIOSUS

SPECIES _____ TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 46

DATE JUL 18 1963 SPEEDOMETER _____

LOCALITY Blue Ridge
LOS ANGELES

COUNTY ~~SAN BERNARDINO~~ CALIFORNIA

STANDARD TIME 1130 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 7300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 20 FEET

REMARKS: Released



SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. B78 SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 46

DATE AUG 11 1963 SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1025 CLOUDS(% overcast) 20

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 1 FEET

REMARKS: Released UCR

DATE _____

FILE NO. _____

PROJECT NO. _____

STATION NO. _____

SECTION NO. _____

DATE OF SURVEY _____

NAME OF SURVEYOR _____

NAME OF ASSISTANT _____

NAME OF WITNESS _____

NAME OF OWNER _____

NAME OF ADJACENT OWNER _____

NAME OF ADJACENT OWNER _____

NAME OF ADJACENT OWNER _____

NAME OF ADJACENT OWNER _____

NAME OF ADJACENT OWNER _____

NAME OF ADJACENT OWNER _____

NAME OF ADJACENT OWNER _____

NAME OF ADJACENT OWNER _____

NAME OF ADJACENT OWNER _____

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 45

DATE AUG 11 1963 SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1030 CLOUDS(% overcast) 20

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 1 FEET

REMARKS: Released

DATE _____

TO _____

FROM _____

SUBJECT _____

RE _____

REFERENCE _____

ATTENTION _____

REMARKS _____

REMARKS _____

REMARKS _____

REMARKS _____

REMARKS _____

REMARKS _____

REMARKS _____

REMARKS _____

REMARKS _____

REMARKS _____

REMARKS _____

REMARKS _____

REMARKS _____

REMARKS _____

REMARKS _____

REMARKS _____

SCELOPORUS GRACIOSUS

SPECIES _____ TAG NO. _____

CONTAINER NO. _____ SEX ♀ AGE ad? TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 48

DATE AUG 11 1963 SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1035 CLOUDS(% overcast) 20

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 1 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 46

DATE AUG 11 1983 SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1115 CLOUDS(% overcast) 20

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 2 FEET

REMARKS: Released

in shade

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 45

DATE AUG 11 1963 SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1120 CLOUDS(% overcast) 20

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 6 FEET

REMARKS: Released

Blank lined paper with horizontal ruling lines.

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 52

DATE AUG 13 1963 SPEEDOMETER _____

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1005 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION sw ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 10-12 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. - SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 48

DATE AUG 13 1963 SPEEDOMETER _____

LOCALITY Barton Flats

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1220 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO.

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# —

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 54

DATE AUG 13 1963 SPEEDOMETER

LOCALITY Barton Flats

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1230 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr)3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 15 FEET

REMARKS: Released

DATE _____

CONTAINER NO. _____

WEIGHT (kg) _____

TYPE _____

LOCALITY _____

COLLECTOR _____

STANDARD TIME (GMT) _____

RELATIVE HUMIDITY _____

WIND DIRECTION & VELOCITY _____

WIND VELOCITY (km/h) _____

AIR TEMP. (°C) _____

SOIL SURFACE TEMP. (°C) _____

WATER SURFACE TEMP. (°C) _____

MOISTURE _____

TYPE _____

STATUS _____

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 53

DATE AUG 13 1963 SPEEDOMETER _____

LOCALITY Barton Flats

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1535 CLOUDS(% overcast) 40

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 1 FEET

REMARKS: Released

the 10/

and the 11/

the 12/

the 13/

the 14/

the 15/

the 16/

the 17/

the 18/

the 19/

the 20/

the 21/

the 22/

the 23/

the 24/

the 25/

the 26/

the 27/

the 28/

the 29/

the 30/

the 31/

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. B70 SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 51

DATE AUG 13 1963 SPEEDOMETER _____

LOCALITY Barton Flats

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1540 CLOUDS(% overcast) 40

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: Released UCR

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 45

DATE AUG 16 1963 SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1735 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 1 FEET

REMARKS: Released

10234

TAT 11.00

SPECIES SCELOPORUS GRACIOSUS TAG NO. ~~534~~

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# —

WEIGHT(gms) — SNOUT-VENT LENGTH(mm) 49

DATE SEP 7 1963 SPEEDOMETER —

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1015 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. — °C

AIR TEMP(1 m) — °C AIR TEMP(1 cm) — °C

SOIL SURFACE TEMP — °C CLOACAL TEMP 33.0 °C


ROCK SURFACE TEMP — °C SUBSTRATE TEMP — °C

HABITAT YELLOW PINE FOREST

CHASE 6 FEET

REMARKS: in sun on stump

Released



SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 52

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1020 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.0 °C


ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 15 FEET

REMARKS: in sun on ground

Released



SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 54

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1020 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 30 FEET

REMARKS: in sun on ground

Released.

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 49

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1025 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C


ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 2 FEET

REMARKS: in sun on log

Released



SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 53

DATE SEP 7 1983 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1030 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 2 FEET

REMARKS: Released



SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 53

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1045 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 20 FEET

REMARKS: Released



SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 49

DATE SEP 7 1983 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1105 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: Released



SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 51

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1125 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 10 FEET

REMARKS: Released



SCELOPORUS GRACIOSUS

SPECIES TAG NO.

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 47

DATE SEP 7 1963 SPEEDOMETER

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1135 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C


SOIL SURFACE TEMP °C CLOACAL TEMP 36.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 8 FEET

REMARKS: Released



SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 50

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1140 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 6 FEET

REMARKS: Released



SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. - SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 47

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1140 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 8 FEET

REMARKS: Released



SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 47

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1145 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 10 FEET

REMARKS: Released



SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 46

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1150 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 8 FEET

REMARKS: Released



SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 41

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1150 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 3 FEET

REMARKS: Released



SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 53

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1340 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 10 FEET

REMARKS: Released



SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. _____ SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 48

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1420 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 30.0 °C


ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 10 FEET

REMARKS: in shade on rock

Released



SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 57

DATE SEP 7 1983 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1440 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 8 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 48

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1440 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 20 FEET

REMARKS: Released



SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 60

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1450 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 8 FEET

REMARKS: Released



SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 48

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1450 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 15 FEET

REMARKS: Released



SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 51

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1450 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 2 FEET

REMARKS: Released



SCELOPORUS GRACIOSUS

SPECIES _____ TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 50

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1455 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: Released



SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 48

DATE SEP 2 1968 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1500 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 2 FEET

REMARKS : _____

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 48

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1505 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 2 FEET

REMARKS: Released



SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 57

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1510 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 2 FEET

REMARKS: Released



SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 48

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1510 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: Released



SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 51

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1510 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 50

DATE SEP 8 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0940 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 1 FEET

REMARKS: Released



SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 50

DATE SEP 8 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0945 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: Released.



SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 50

DATE SEP 8 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1000 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 10 FEET

REMARKS: Released

SCELOPORUS GRACIOSUS

SPECIES _____ TAG NO. _____

CONTAINER NO. _____ SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 48

DATE SEP 14 1963 SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1450 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 3 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 50

DATE SEP 14 1963 SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1520 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 6 FEET

REMARKS: Released

In sun on ground

Sceloporus
magister

Sceloporus
magister

SCIENTIFIC NAME *Sceloporus magister*

TC# 6

SACK NO. B 18 SEX ♀ AGE juv.

WEIGHT(gms) _____ SNOUT-VENT LENGTH (mm) 39

DATE Sept. 18, 1958 STEADIMETER 12494

LOCALITY Hesperia, San Bernardino Co., Calif.

STANDARD TIME 0825 CLOUDS none

MOON — RELATIVE HUMIDITY(%) 34

WIND DIRECTION none ALTITUDE(ft) 3700

WIND VELOCITY(miles/hour) 0 DRY BULB _____

AIR TEMPERATURE 26.2 °C _____ °F

ROAD TEMPERATURE _____ °C _____ °F

SOIL SURFACE TEMPERATURE 40.4 °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT On Joshua Tree

REMARKS: _____

TC 027

SPECIES *Sceloporus magister*

TACK NO. R 12

SEX

♀

AGE

imm.

WEIGHT (gms)

SNOUT-VENT LENGTH (mm)

66

DATE Sept. 18, 1958

SPERMETER

12495

LOCALITY

Hesperia, San Bernardino Co., Calif.

STANDARD TIME

0845

CLOUDS

none

MOON

(day)

RELATIVE HUMIDITY (%)

34

WIND DIRECTION

none

ALTITUDE (ft)

3700

WIND VELOCITY (miles/hour)

0

DID NO.

AIR TEMPERATURE

29

°C

°F

ROAD TEMPERATURE

°C

°F

SOIL SURFACE TEMPERATURE

40.8

°C

°F

CLOACAL TEMPERATURE

°C

°F

HABITAT

On Joshua tree.

REMARKS:

Sceloporus magister

TC# 8

SACK NO. 49 SEX ♀ AGE I mm

WEIGHT (gms) _____ SNOUT-VENT LENGTH (mm) 63

DATE 9/19/58 SPECIMEN NO. 1290

LOCALITY 11 Mi. E. of Glamis, Imperial
Co., Calif.

STANDARD TIME 1615 CLOUDS none

MOON _____ RELATIVE HUMIDITY (%) _____

WIND DIRECTION none ALTITUDE (ft) _____

WIND VELOCITY (miles/hour) 0 TAG NO. _____

AIR TEMPERATURE 37.8° °C _____ °F

ROAD TEMPERATURE _____ °C _____ °F

SOIL SURFACE TEMPERATURE 44.5° °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT Mesquite trees in ~~dry~~ wash

REMARKS: _____

TC #7

Sceloporus magister

B26

♀

juv.

3.3

44

Oct. 18, 1958

11881

5 mi. E. of Phelan, San Bernardino
Co., Calif.

1029

75%

—

~5

S

3710

S-7


29.3

42.2

In Joshua tree-juniper association.

On telephone pole





SPECIES Sceloporus magisterSACK NO. 816 SEX ♂ AGE imm.WEIGHT(gms) _____ SNOUT-VENT LENGTH (mm) 49DATE Apr. 14, 1959 SPEEDOMETER 1775LOCALITY 5 mi. W. of Desert Springs, San Bernardino Co., Calif.STANDARD TIME 1445 CLOUDS 80% (thin)MOON — RELATIVE HUMIDITY(%) —WIND DIRECTION S.W. ALTITUDE(ft) 3560WIND VELOCITY (miles/hour) 8 TAG NO. _____(30")
AIR TEMPERATURE 26.2 °C _____ °FAir (1cm)
~~ROAD~~ TEMPERATURE 31.6 °C _____ °FSOIL SURFACE TEMPERATURE 45.0 °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT Joshua tree woodlandREMARKS: Taken from Joshua tree

SPECIES Sceloporus magister TAG NO. _____

CONTAINER NO. B30 SEX ♀ AGE imm. TOE-CLIP NO. 10

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 49

DATE May 9, 1959 SPEEDOMETER 5341

LOCALITY 3 mi. S.E. of Hesperia

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1430 CLOUDS(% overcast) 15

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 3200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °F

SOIL TEMP (30 in) 24.6 °C AIR TEMP(1 cm) 31.0 °F

ROCK SURFACE TEMP 46.6 °C CLOACAL TEMP _____ °F

GLASS SURFACE TEMP _____ °C

HABITAT Joshua tree woodland

REMARKS: Found when an old Joshua tree stump was broken open.

Sceloporus magister

~~817~~

R17

♀

imm.

AUG 26 1959

SPIDOMETER 30290

Phelan

SAN BERNARDINO

CALIF.

0920

CLOUDS(%)

0

-

RELATIVE HUMIDITY(%)

35

N.W.

ALTITUDE(ft.)

4100

5-7

WIND SPEED (mi/hr)

26.0

°C

AIR TEMP(1cm)

28.0

42.8

°C

CEPHALIC TEMP

36.2

JOSHUA TREE WOODLAND

in sun on woodpile. 2ft. chase.

Dead on arrival at U.C.R.

1941

1941

Sceloporus magister

B6

♂

imm.

1

4.8

53

AUG 25 1959

SPECIMEN 30196

Lovejoy Buttes

LOS ANGELES

CALIF.

0750

CLOUDS(% overcast)

0

RELATIVE HUMIDITY(%)

45

0

ALTITUDE(ft.)

2750

0

ROAD TIME

25.4

°C

AIR TEMP(1cm)

25.5

32.6

°C

CLOACAL TEMP

32.8

°C

JOSHUA TREE WOODLAND

in sun on branch of Joshua tree.

2 ft. chase. ~~David Reuther kept it.~~

Released 9/8/59 on palm tree near Life Sciences auditorium.

Sceloporus magister

~~62~~

B14

♀

juv.

2

1.5

34

AUG 25 1953

30202

Lovejoy Buttes

LOS ANGELES

CALIF.

STANDARD TIME 0930

CLOUDS(% overcast)

0

MOON —

RELATIVE HUMIDITY(%)

39

WIND DIRECTION

0

ALTITUDE(FT.)

2550

WIND VELOCITY (mi/hr)

0

ROAD TEMP.

AIR TEMP (30 in) 29.8

°C

AIR TEMP(1cm)

32.4

SOIL SURFACE TEMP 45.8

°C

CLOACAL TEMP

ROCK SURFACE TEMP

°C

HABITAT creosote bush scrub

REMARKS: in shade on fencepost, 6ft. chase. Just hatched recently. ~~David Reuther kept it.~~
Released 9/8/59 on palm tree near Life Sciences auditorium.



SPECIES SPIDOPUS MAGISTER TAG. NO. _____

CONTAINER NO. — SEX ♂ AGE juv. TOE CLIP # 22

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 48

DATE SEP 1 1954 SPEEDOMETER 31339

LOCALITY Saddleback Buttes

COUNTY LOS ANGELES CALIF.

STANDARD TIME 1112 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 34

WIND DIRECTION S.W. ALTITUDE(ft.) 2600

WIND VELOCITY(mi/hr) 8-11 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.0 °C AIR TEMP(1 cm) 33.2 °C

SOIL SURFACE TEMP 45.2 °C CLOACAL TEMP 35.7 °C


ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT farmland

CHASE 0 FEET

REMARKS: in sun on side of power pole.

Toe clipped & released at N.E. corner
of Ave. K and 150th St. E.



SPECIES Sceloporus magister TAG NO. _____

CONTAINER NO. B78 SEX ♂ AGE imm. TOE CLIP# 1

WEIGHT(gms) 11.2 SNOUT-VENT LENGTH(mm) 62

DATE APR 22 1962 SPEEDOMETER _____

LOCALITY Saddle back Buttes

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1425 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NE ALTITUDE(ft) 2600

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.6 °C


ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 6 FEET

REMARKS: in sun on fencepost

Released on Darwin Hall (4/25/62)



SPECIES Sceloporus magister TAG NO. _____

CONTAINER NO. B52 SEX ♀ AGE imm TOE CLIP# 6

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 64

DATE MAY 13 1962 SPEEDOMETER _____

LOCALITY 14 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1145 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

IR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in old tire in a pile of tires at the edge of road.

Released on LSB aud. — 5/25/62.

SPECIES Sceloporus magister TAG NO. _____

CONTAINER NO. R16 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 128

DATE MAY 13 1962 SPEEDOMETER _____

LOCALITY 14 mi. W. of Glamis (at Highline Canal)

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1145 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

IR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C


ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on top of pile of old tires
at edge of road.

(Kept as a pet)



SPECIES SCILOPORUS MAGISTER TAG NO.

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm)

DATE JUN 27 1962 SPEEDOMETER

LOCALITY Saddleback Buttes

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 0830 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2650

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT JOSHUA TREE WOODLAND

CHASE 2 FEET

REMARKS: in sun on trunk of Joshua tree

(Released)

DATE _____

LOCATION _____

TIME _____

WIND _____

MOON _____

TEMPERATURE _____

RELATIVE HUMIDITY _____

ALTITUDE _____

WIND DIRECTION _____

WIND VELOCITY _____

WIND FORCE _____

WIND TYPE _____

WIND EFFECT _____

WIND DURATION _____

WIND INTENSITY _____

WIND CHARACTER _____

WIND EFFECTS _____

WIND DIRECTION _____

WIND VELOCITY _____

WIND FORCE _____

WIND TYPE _____

SPECIES SCELOPORUS MAGISTER TAG NO. _____

CONTAINER NO. - SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 83

DATE JUL 25 1962 SPEEDOMETER _____

LOCALITY Hesperia

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0835 CLOUDS(% overcast) 0

MOON - RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 3200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 3 FEET

REMARKS: on Trunk of Joshua Tree with ad ♂.



SPECIES SCeloporus magister TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 69

DATE AUG 18 1962 SPEEDOMETER _____

LOCALITY Hesperia

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1000 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 3200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 6 FEET

REMARKS: in shade in Joshua tree

(Released)

SPECIES SCELOPORUS MAGISTER TAG NO. 100

CONTAINER NO. B63 SEX ♂ AGE juv. TOE CLIP# 1

WEIGHT(gms) 2.6 SNOUT-VENT LENGTH(mm) 41

DATE AUG 21 1962 SPEEDOMETER

LOCALITY Lovejoy Buttes

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0725 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 2600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.0 °C


ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 10 FEET

REMARKS: in sun on fence post

(Kept for growth data)



SPECIES SCELOPORUS MAGISTER TAG NO. _____

CONTAINER NO. B80 SEX ♂ AGE juv. TOE CLIP# 1

WEIGHT(gms) 2.6 SNOUT-VENT LENGTH(mm) 39

DATE SEP 23 1962 SPEEDOMETER _____

LOCALITY Hesperia

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0805 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 3200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 6 FEET

REMARKS: in sun on log

(kept for growth data)

SPECIES SCELOPORUS MAGISTER TAG NO. _____

CONTAINER NO. B80 SEX ♀ AGE juv. TOE CLIP# 2

WEIGHT(gms) 2.3 SNOUT-VENT LENGTH(mm) 39

DATE SEP 23 1962 SPEEDOMETER _____

LOCALITY Hesperia

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0830 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 3200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C


ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 4 FEET

REMARKS: in sun on log

(kept for growth data)



SPECIES SCELOPORUS MAGISTER TAG NO. _____

CONTAINER NO. B77 SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 49

DATE MAY 3 1983 SPEEDOMETER _____

LOCALITY Hesperia

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1510 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 3200

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 6 FEET

REMARKS: Released



SPECIES SCELOPORUS MAGISTER TAG NO. _____

CONTAINER NO. B77 SEX ♂ AGE Imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 39

DATE MAY 3 1963 SPEEDOMETER _____

LOCALITY Hesperia

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1535 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 3200

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

SOIL TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 10 FEET

REMARKS: Released



Sceloporus
occidentalis

Sceloporus
occidentalis

SPECIES Sceloporus occidentalisSACK NO. ^{Bottle} 3 SEX ♂ AGE Juv.WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 32DATE 9/12/58 SPEEDOMETER _____LOCALITY Canyon Crest Dr. 2 mi. So. UCR.
Riverside Co. Calif.STANDARD TIME 0910 CLOUDS NoneMOON (Day) RELATIVE HUMIDITY(%) _____WIND DIRECTION ○ ALTITUDE(ft) 1200WIND VELOCITY(miles/hour) ○ SAT. NO. _____AIR TEMPERATURE 22.4 °C _____ °F

Rock (shade)

~~TEMPERATURE~~ TEMPERATURE 21.8 °C _____ °F

Rock (sun)

~~SURFACE TEMPERATURE~~ SURFACE TEMPERATURE 36.2 °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT Rocky outcrop in open coastal chaparral

REMARKS: _____

SPECIES Sceloporus occidentalisTAXA NO. ^{Bottle} 15 SEX ♂ AGE Juv.WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 34DATE 9/12/58 SPEEDOMETER _____LOCALITY 2 mi. So. UCR on Canyon Crest Dr.
Riverside Co. Calif.STANDARD TIME 0940 CLOUDS NoneMOON (Day) RELATIVE HUMIDITY(%) _____WIND DIRECTION _____ ALTITUDE(ft) 1200WIND VELOCITY(miles/hour) 0 TAG NO. _____AIR TEMPERATURE 24.3 °C _____ °F

ROAD TEMPERATURE _____ °C _____ °F

SOIL SURFACE TEMPERATURE _____ °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT Rocky outcrop in open coastal Chaparral

REMARKS: _____

SPECIES Sceloporus occidentalisSACK NO. B 34 SEX ♂ AGE JuvWEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 41DATE 9/15/58

SPEEDMETER _____

LOCALITY UCR Campus

STANDARD TIME _____

CLOUDS NoneMOON Day

RELATIVE HUMIDITY(%) _____

WIND DIRECTION E ALTITUDE(ft) 1200WIND VELOCITY(miles/hour) Slight Breeze TAG NO. _____

AIR TEMPERATURE _____ °C _____ °F

ROAD TEMPERATURE _____ °C _____ °F

SOIL SURFACE TEMPERATURE _____ °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT Rock outcrops in open coastal Chaparral

REMARKS: _____

SPECIES Sceloporus occidentalis

SACK NO. _____ SEX ♂ AGE Juv.

WEIGHT (gms) _____ SNOUT-VENT LENGTH (mm) 42

DATE 9/16/58 SPEEDOMETER _____

LOCALITY UCR Campus

STANDARD TIME 0910 CLOUDS None

MOON Day RELATIVE HUMIDITY (%) ~30%

WIND DIRECTION S. ALTITUDE (ft) 1200

WIND VELOCITY (miles/hour) Light Breeze TAG NO. _____

AIR TEMPERATURE _____ °C _____ °F

ROAD TEMPERATURE _____ °C _____ °F

SOIL SURFACE TEMPERATURE _____ °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT Rock outcrops in open coastal chaparral

REMARKS: Has very distinct longitudinal stripes

SPECIES *Sceloporus occidentalis*

SALT NO. B1 SEX ♂ AGE Juw

WEIGHT (gms) SNOUT-VENT LENGTH (mm) 34

DATE 9/18/58 SPEEDOMETER 12491

LOCALITY 3 mi. S. of Hesperia, San Bernardino
Co., Calif.

STANDARD TIME 0610 CLOUDS none

MOON — RELATIVE HUMIDITY (%)

WIND DIRECTION none ALTITUDE (ft) 3700

WIND VELOCITY (miles/hour) 0 TAG NO.

AIR TEMPERATURE 17 °C

SOIL TEMPERATURE

ROCK SURFACE TEMPERATURE

WATER TEMPERATURE

HABITAT Scattered Joshua trees.

T(7/1)

Sceloporus occidentalis

TAG NO. B27 SEX ♀ AGE Juv

WEIGHT (gms) SNOUT-VENT LENGTH (mm) 42

DATE Sept. 18, 1958 SPECIMEN NO. 12491

LOCALITY 3 mi. S. of Hesperia, San Bernardino Co., Calif.

STOMACH TIME 0618 EGGS none

MOON ← RELATIVE HUMIDITY (%)

MOON ILLUMINATION none ALTITUDE (m) 3700

WIND VELOCITY (miles/hour) 0 TAG NO.


AIR TEMPERATURE 17

SOIL TEMPERATURE

SOIL SURFACE TEMPERATURE

CLIMAX TEMPERATURE

THINICAT Scattered Joshua trees.



TC# 12

SCIENTIFIC NAME *Sceloporus occidentalis*

TAG NO. B27 SEX ~~♂~~ ♀ AGE Juv

WEIGHT (gms) SNOUT-VENT LENGTH (mm) 39

DATE 9/18/58 SPEEDOMETER 12491

LOCALITY 3 mi. S. of Hesperia, San Bernardino Co., Calif.

STARTING TIME 0615 CLOUDS none

MOON — WIND DIRECTION

MOON POSITION none ALTITUDE 3700

WIND VELOCITY (miles/hour) 0 CLOUDS

AIR TEMPERATURE 17

MOON TEMPERATURE

WIND DIRECTION

MOON TEMPERATURE

REMARKS Scattered Joshua Trees.

Sceloporus occidentalis

B32 ♀ imm.

3.6

Oct. 18, 1958

11881

5 mi. E. of Phelan, San Bernardino
Co., Calif.

1025

75%

—

~5

S


3690

5-7

29.3

42.2

Trunk of Joshua tree.



SPECIES *Sceloporus occidentalis*

TAG NO. Y11 SEX ♂ AGE imm.

WEIGHT (gms) 3.5 SNOUT-VENT LENGTH (mm) 44

DATE Jan. 17, 1959 SPEEDOMETER 99786

LOCALITY 2 mi. S. of UCR campus, Riverside
Co., Calif.

STARTING TIME 1310 CLOUDS none

MOON — RELATIVE HUMIDITY (%)

WIND DIRECTION none ALTITUDE (ft) 1200

WIND VELOCITY (miles/hour) 0 TAG NO.

AIR TEMPERATURE 27 °C

Rock (sun)

ROAD TEMPERATURE 33.8 °C

(sun)

SOIL SURFACE TEMPERATURE 44.4 °C

GROUND TEMPERATURE °C

HABITAT coastal sage scrub — stream bed.

REMARKS:

SPECIES Sceloporus occidentalis TC # 15
stansburiana

SACK NO. 89 SEX ♀ AGE imm.

WEIGHT(gms) 3.6 SNOUT-VENT LENGTH (mm) 47

DATE May 8, 1959 SPEEDOMETER 5204

LOCALITY 8 mi. E. of Phelan, San
Bernardino Co., Calif.

STANDARD TIME 1350 CLOUDS 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION W. ALTITUDE(ft) 4000

WIND VELOCITY (miles/hour) 9-12 TAG. NO.

AIR TEMPERATURE (30") 24.0 °C (1cm) 26.0 °C


ROAD TEMPERATURE °C °F

SOIL SURFACE TEMPERATURE 38.5 °C °F

CLOACAL TEMPERATURE °C °F

HABITAT Open Joshua Tree Woodland

REMARKS: caught on fence post



SPECIES *Sceloporus occidentalis*

SACK NO. B 31 SEX ♂ AGE juv.

HEIGHT (cm) 4.1 SNOUT-VENT LENGTH (mm) 48

DATE Nov. 22, 1958 SPECIMEN NO. 98835

LOCALITY 3 mi. S. of UCR, Riverside Co.,
Calif.

WINDSPEED (MPH) 1140 HUMIDITY 5%

MOON — RELATIVE HUMIDITY (%) 30

WIND DIRECTION none ALTITUDE (ft) 1100

WIND VELOCITY (miles/hour) 0 TAG NO.

AIR TEMPERATURE 28.2 °C

ROAD TEMPERATURE °C

SOIL SURFACE TEMPERATURE 43.5 °C

CLOACAL TEMPERATURE °C

HABITAT Rock outcrop in chaparral.

REMARKS: Fed to lizards

STUDIED *Sceloporus occidentalis*

SACK NO. 833 AGE ♂ AGE juv.

WEIGHT (gms) 2.4 SNOUT-VENT LENGTH (mm) 40

DATE Nov. 22, 1958 SPECIMEN NO. 98835

LOCALITY 3 mi. S. of UCR, Riverside Co.,
Calif.

STARTED TIME 1210 CLOUDS 5%

MOON — RELATIVE HUMIDITY (%) 30

WIND DIRECTION none ALTITUDE (ft) 1100

WIND VELOCITY (miles/hour) 0 TAG NO. —

AIR TEMPERATURE 28.2 °C

ROAD TEMPERATURE — °C

SOIL SURFACE TEMPERATURE 43.5 °C

GLOBAL TEMPERATURE — °C

HABITAT Rock outcrop in chaparral

FEEDING Fed to lizards

SPECIES Sceloporus occidentalis

SACK NO. R7 SEX ♂ AGE ad.

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE May 17, 1959 SPEEDOMETER 13903

LOCALITY South Fork campground, Barton Flats,
San Bernardino Co., Calif.

STANDARD TIME 0904 CLOUDS 30%.

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft) 6300

WIND VELOCITY(miles/hour) 1-2 TAG NO. _____

AIR TEMPERATURE (30") 18.8 °C (1cm) 23.2 °C

ROAD TEMPERATURE _____ °C _____ °F

SOIL SURFACE TEMPERATURE 30.2 °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT Riparian

REMARKS: Dead on arrival — discarded

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 20

CONTAINER NO. - SEX ♀ AGE imm TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 59

DATE APR 21 1962 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C


SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE FEET

REMARKS: Released on Darwin Hall



SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 21

CONTAINER NO. - SEX ♂ AGE imm TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 55

DATE APR 21 1962 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C


SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE FEET

REMARKS: Released on Darwin Hall



SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. B55 SEX ♂ AGE ad? TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 52

DATE APR 30 1962 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1450 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: in sun on post

SPECIES SCELOPORUS OCCIDENTALIS TAG NO.

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm)

DATE JUN 3 1962 SPEEDOMETER

LOCALITY Azalea Trails Camp (Girl Scouts)

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1515 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 6800

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 33.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 2 FEET

REMARKS: in sun on rock (Released)

DATE _____ TIME _____

STATION NO. _____ OBS. _____

STATION NAME _____ (see notes)

STATION TYPE _____

STATION LOCATION _____

STATION ELEVATION _____

STATION COMMENTS _____

STATION DATA _____

STATION DATA _____

STATION DATA _____

STATION DATA _____

STATION DATA _____

STATION DATA _____

STATION DATA _____

STATION DATA _____

STATION DATA _____

STATION DATA _____

STATION DATA _____

STATION DATA _____

STATION DATA _____

STATION DATA _____

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 55

DATE JUN 27 1962 SPEEDOMETER _____

LOCALITY Wrightwood

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1125 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft) 6000

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 3 FEET

REMARKS: in sun on telephone pole

(Released)

2075-2084 (1997)

1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 26

2000年10月15日

© 2002 Blackwell Science Ltd

21. On 1/1/87, 20,000

12518

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. R9 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE JUN 29 1962 SPEEDOMETER _____

LOCALITY RIVERSIDE (Santa Ana River)

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0805 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 850

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT RIPARIAN WOODLAND

CHASE 0 FEET

REMARKS: in sun on log

Escaped

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) ----- SNOUT-VENT LENGTH(mm) 48

DATE MAY 20 1983 SPEEDOMETER _____

LOCALITY Blue Ridge

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1055 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 7300

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: Released

THE NO. _____

OF THE _____

SPECIES SCeloporus OCCIDENTALIS TAG NO. _____

CONTAINER NO. _____ SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 47

DATE JUL 5 1963 SPEEDOMETER _____

LOCALITY Barton Flats

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0930 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 20 FEET

REMARKS: Released

SPECIES SCeloporus occidentalis TAG NO. _____

CONTAINER NO. _____ SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 42

DATE JUN 5 1963 SPEEDOMETER _____

LOCALITY Barton Flats

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0945- CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 50 FEET

REMARKS: Released

DATE _____
CITY _____
STATE _____
LOCALITY _____
COUNTRY _____
STATION _____
RELATIVE HUMIDITY _____
WIND DIRECTION _____
WIND VELOCITY _____
AIR TEMP (°C) _____
SOIL TEMP _____
SOIL HUMIDITY _____
WIND _____
CLOUD _____
MOON _____

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. _____ SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 48

DATE JUN 5 1963 SPEEDOMETER _____

LOCALITY Barton Flats

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0955 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE ? FEET

REMARKS: Released



SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. _____ SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 55

DATE JUN 5 1963 SPEEDOMETER _____

LOCALITY Barton Flats

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1010 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP 29.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: Released



SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. R21 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 62

DATE 1991 5-10-81 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1003 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 25.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: in sun on rock

Given to Herb Brown

0-1-2002

• • •

• • • • •

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 47

DATE JAN 16 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1505 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: Released

SCELOPORUS OCCIDENTALIS

SPECIES TAG NO.

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 50

DATE JAN 16 1964 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1500 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: Released

THE
OFFICE OF THE
ATTORNEY GENERAL
STATE OF NEW YORK
ALBANY
JANUARY 1, 1900
TO THE
COMMISSIONER OF THE
LAND OFFICE
SIR:
I have the honor to acknowledge the receipt of your letter of the 29th inst. in relation to the above matter.
In reply to inform you that the same has been forwarded to the proper authorities for their consideration.
Very respectfully,
J. B. [Signature]
Attorney General

SPECIES Sceloporus occidentalis TAG NO. ~~647~~

CONTAINER NO. _____ SEX ♂ AGE ad? TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 58

DATE FEB 24 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1510 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 2 FEET

REMARKS: Released

STATE OF _____

COUNTY OF _____

IN SENATE,

January 1, 1901.

REPORT

OF THE

COMMISSIONERS OF THE LAND OFFICE

IN RESPONSE TO A RESOLUTION PASSED BY THE SENATE, MAY 1, 1899.

ALBANY:

THE STATE PRINTING OFFICE,

1901.

SPECIES Sceloporus occidentalis TAG NO. _____

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE FEB 24 1964 SPEEDOMETER _____

LOCALITY Ucr _____

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1405 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: Released

STATE OF NEW YORK
IN SENATE
JANUARY 1, 1914.
REPORT
OF THE
COMMISSIONERS OF THE LAND OFFICE
IN RESPONSE TO A RESOLUTION
PASSED BY THE SENATE
MAY 1, 1913.
ALBANY:
J. B. LEECH, PRINTERS.
1914.

Sceloporus
oreutti

Sceloporus
orcutti

SPECIES Sceloporus orcuttiSACK NO. Y 11SEX ♀AGE imm.WEIGHT(gms) 2.5SNOUT-VENT LENGTH(mm) 42DATE Jan. 17, 1959SPEDOMETER 99786LOCALITY 2 mi. S. of UCR campus, Riverside
Co., Calif.STANDARD TIME 1320CLOUDS noneMOON —RELATIVE HUMIDITY(%) —WIND DIRECTION none ALTITUDE(ft) 1200WIND VELOCITY(miles/hour) 0TAD NO. —AIR TEMPERATURE 27

°C

°F

Rock (sun)

ROAD TEMPERATURE 33.8

°C

°F

(sun)

SOIL SURFACE TEMPERATURE 44.4

°C


°F

CLOACAL TEMPERATURE —

°C

°F

HABITAT rock outcrop, coastal sage scrub.REMARKS: —



SPECIES Sceloporus orcutti;SACK NO. B27 SEX ♀ AGE juv.WEIGHT(gms) 2.4 SNOUT-VENT LENGTH (mm) 39DATE Mar. 3, 1959 SPEEDOMETER 464LOCALITY 2 mi. S. of UCR campus, Riverside
Co., Calif.STANDARD TIME 1310 CLOUDS noneMOON — RELATIVE HUMIDITY(%) —WIND DIRECTION N.W. ALTITUDE(ft) 1200WIND VELOCITY (miles/hour) 1-5 TAG NO. —AIR TEMPERATURE 27.5 °C °F~~ROCK~~ TEMPERATURE 42 °C °FSOIL SURFACE TEMPERATURE 42.5 °C °F

CLOACAL TEMPERATURE °C °F

HABITAT Rock outcrop in coastal sage scrub.

REMARKS:

Sceloporus orcutti

R17 ♀ imm.

7

42

Apr. 11, 1959

UCR campus

Riverside

Calif.

0920

none

S.E.

1200

1-3

27.8

30.0

31.4

rock outcrop in coastal sage scrub.

SPECIES Sceloporus orcutti TAG NO. _____

CONTAINER NO. 819 SEX ♀ AGE juv. TOE CLIP# 2

WEIGHT(gms) 3.5 SNOUT-VENT LENGTH(mm) 44

DATE Feb. 21, 1961 SPEEDOMETER _____

LOCALITY UCR campus

COUNTY Riverside CALIFORNIA

STANDARD TIME 0907 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION N ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) 20.6 °C AIR TEMP(1 cm) 20.6 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 25.6 °C

ROCK SURFACE TEMP 27.6 °C SUBSTRATE TEMP _____ °C

HABITAT rock in coastal sage scrub

CHASE 8 FEET

REMARKS: in sun on a rock

SPECIES Sceloporus orcutti TAG NO. _____

CONTAINER NO. B35 SEX ♀ AGE juv. TOE CLIP# 5

WEIGHT(gms) 3.9 SNOUT-VENT LENGTH(mm) 45

DATE Feb. 27, 1961 SPEEDOMETER _____

LOCALITY UCR campus

COUNTY Riverside CALIFORNIA

STANDARD TIME 1600 CLOUDS(% overcast) 25 (thin)

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 19.0 °C AIR TEMP(1 cm) 22.6 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 20.6 °C

ROCK SURFACE TEMP 27.4 °C SUBSTRATE TEMP _____ °C

HABITAT rock in coastal sage scrub

CHASE 30 FEET

REMARKS: in shade on rock

SPECIES Sceloporus orcutti TAG NO. _____

CONTAINER NO. B60 SEX ♂ AGE juv. TOE CLIP# 7

WEIGHT(gms) 5.5 SNOUT-VENT LENGTH(mm) 49

DATE March 6, 1961 SPEEDOMETER _____

LOCALITY UCR campus

COUNTY Riverside CALIFORNIA

STANDARD TIME 1345 CLOUDS(% overcast) 100

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0-3 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) NW ROAD TEMP. _____ °C

AIR TEMP(30 in) 18.4 °C AIR TEMP(1 cm) 21.0 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 22.6 °C

ROCK SURFACE TEMP 24.2 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 4 FEET

REMARKS: in open on rock



SPECIES Sceloporus orcutti TAG NO. _____

CONTAINER NO. Y13 SEX ♀ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE Mar. 6, 1961 SPEEDOMETER _____

LOCALITY UCR campus

COUNTY Riverside CALIFORNIA

STANDARD TIME 13 55 CLOUDS(% overcast) 100

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0-3 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) NW ROAD TEMP. _____ °C

AIR TEMP(30 in) 18.4 °C AIR TEMP(1 cm) 21.0 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.0 °C

ROCK SURFACE TEMP 24.2 °C SUBSTRATE TEMP _____ °C

HABITAT rock outcrop in coastal sage scrub

CHASE 0 FEET

REMARKS: in open on a rock. Traded to Dave

Young for an adult ♂.

SPECIES Sceloporus orcutti TAG. NO. 8

CONTAINER NO. B25 SEX ♂ AGE juv. TOE CLIP # 8

WEIGHT(gms) 3.8 SNOUT-VENT LENGTH(mm) 45

DATE Mar. 7, 1961 SPEEDOMETER

LOCALITY UCR campus

COUNTY Riverside CALIF.

STANDARD TIME 1450 CLOUDS(% overcast) 0

MOON - RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 21.4 °C AIR TEMP(1 cm) 25.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 35.8 °C

ROCK SURFACE TEMP 35.4 °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 2 FEET

REMARKS: in sun on rock - hanging head down

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. B20 SEX ♀ AGE juv. TOE CLIP# 10

WEIGHT(gms) 3.2 SNOUT-VENT LENGTH(mm) 42

DATE MAR 13 1961 SPEEDOMETER _____

LOCALITY 2 mi. N.W. of Sunnymead

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1425 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.W. ALTITUDE(ft) 2000

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 27.5 °C AIR TEMP(1 cm) 28.4 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP 37.4 °C SUBSTRATE TEMP _____ °C

HABITAT chaparral

CHASE 0 FEET

REMARKS: in sun on a rock

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. 862 SEX ♀ AGE juv. TOE CLIP# 11

WEIGHT(gms) 3.5 SNOUT-VENT LENGTH(mm) 42

DATE MAR 13 1981 SPEEDOMETER _____

LOCALITY 2 mi. N.W. of Sunnymead

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1405 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 2000

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 24.8 °C AIR TEMP(1 cm) 29.5 °C

SOIL SURFACE TEMP 42.0 °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP 37.4 °C SUBSTRATE TEMP _____ °C

HABITAT chaparral

CHASE 1 FEET

REMARKS: in sun on a rock

SPECIES SCHELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. B59 SEX ♀ AGE juv. TOE CLIP# 12

WEIGHT(gms) 3.5 SNOUT-VENT LENGTH(mm) 43

DATE MAR 20 1961 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1335 CLOUDS(% overcast) 50 (thin)

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 23.8 °C AIR TEMP(1 cm) 27.0 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.2 °C

ROCK SURFACE TEMP 42.8 °C SUBSTRATE TEMP _____ °C

HABITAT ~~in sun~~ coastal sage scrub

CHASE 25 FEET

REMARKS: in sun on a rock

SPECIES SCeloporus oxcuti TAG NO. _____

CONTAINER NO. B59 SEX ♀ AGE juv. TOE CLIP# 13

WEIGHT(gms) 3.0 SNOUT-VENT LENGTH(mm) 41

DATE MAR 20 1961 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1410 CLOUDS(% overcast) 50 (thin)

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 23.8 °C AIR TEMP(1 cm) 27.0 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.2 °C

ROCK SURFACE TEMP 42.8 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on a rock

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. B25 SEX ♀ AGE juv. TOE CLIP# 14

WEIGHT(gms) 3.8 SNOUT-VENT LENGTH(mm) 45

DATE MAR 21 1961 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1200 CLOUDS(% overcast) 0

MOON - RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 20.0 °C AIR TEMP(1 cm) 22.2 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.6 °C

ROCK SURFACE TEMP 24.0 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 20 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. B24 SEX ♂ AGE juv. TOE CLIP# 15

WEIGHT(gms) 4.8 SNOUT-VENT LENGTH(mm) 48

DATE MAR 23 1961 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1600 CLOUDS(% overcast) 0 (thick haze)

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 16.8 °C AIR TEMP(1 cm) 20.4 °C

SOIL SURFACE TEMP 22.8 °C CLOACAL TEMP 28.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO.

CONTAINER NO. B63 SEX ♂ AGE juv. TOE CLIP# 1

WEIGHT(gms) 5.1 SNOUT-VENT LENGTH(mm) 48

DATE APR 11 1961 SPEEDOMETER

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1215 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1900

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 31.2 °C


ROCK SURFACE TEMP 44.0 °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 30 FEET

REMARKS: in sun on rock

Released at UCR.



SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. B63 SEX ♀ AGE juv. TOE CLIP# 2

WEIGHT(gms) 5.0 SNOUT-VENT LENGTH(mm) 48

DATE APR 11 1961 SPEEDOMETER _____

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1140 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1900

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.8 °C AIR TEMP(1 cm) 25.8 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 29.8 °C


ROCK SURFACE TEMP 40.0 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 15 FEET

REMARKS: in sun on rock

Released at UCR.



SPECIES SCELOPORUS ORCUTTI TAG. NO. _____

CONTAINER NO. B19 SEX ♀ AGE juv. TOE CLIP# 3

WEIGHT(gms) 2.2 SNOUT-VENT LENGTH(mm) 38

DATE APR 11 1961 SPEEDOMETER _____

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1110 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft.) 1900

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.8 °C AIR TEMP(1 cm) 25.8 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP 40.0 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 6 FEET

REMARKS: in sun on rock

Released at UCR.

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. B63 SEX ♀ AGE juv. TOE CLIP# 4

WEIGHT(gms) 9.1 SNOUT-VENT LENGTH(mm) 60

DATE APR 11 1961 SPEEDOMETER _____

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1115 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1900

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.8 °C AIR TEMP(1 cm) 25.8 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.0 °C


ROCK SURFACE TEMP 40.0 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 1 FEET

REMARKS: in sun on rock

Released at UCR



SPECIES SCELOPORUS ORCUTTI TAG NO.

CONTAINER NO. B63 SEX ♂ AGE juv. TOE CLIP# 6

WEIGHT(gms) 2.5 SNOUT-VENT LENGTH(mm) 43

DATE APR 11 1961 SPEEDOMETER

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1210 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1900

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.8 °C AIR TEMP(1 cm) 25.8 °C

SOIL SURFACE TEMP	°C	CLOACAL TEMP	°C
-------------------	----	--------------	----

ROCK SURFACE TEMP 40.0 °C SUBSTRATE TEMP _____ °C


HABITAT coastal sage scrub.

CHASE 0 FEET

REMARKS: in sun on rock

Released at UCR.

Left front leg missing entirely.



SPECIES SCELOPORUS ORCUTTI TAG NO.

CONTAINER NO. — SEX ♀ AGE juv. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 39

DATE SEP 27 1961 SPEEDOMETER

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0940 CLOUDS(% overcast) 75

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE 15 FEET

REMARKS: in sun on rock

Released at capture site

SPECIES SCELOPORUS ORCUTTI TAG NO.

CONTAINER NO. — SEX ♀ AGE imm. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 68

DATE SEP 27 1961 SPEEDOMETER

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0910 CLOUDS(% overcast) 75

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 30.4 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE 2 FEET

REMARKS: in sun on rock

Released at capture site

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 64

DATE SEP 27 1961 SPEEDOMETER _____

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0945 CLOUDS(% overcast) 75%

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.8 °C AIR TEMP(1 cm) 33.8 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP 31.0 °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: in shade on rock

Released at capture site

54309

• **CHALLENGE**

• • •

2272

Journal of Management Education

SPECIES SCELOPORUS ORCUTTI TAG NO.

CONTAINER NO. — SEX ♀ AGE imm. TOE CLIP# 9

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE OCT 2 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1315 CLOUDS(% overcast) 75 (thin)

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 34.2 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 30.0 °C

HABITAT COASTAL SAGE SCRUB

CHASE 2 FEET

REMARKS: in shade on large rock. Released
at capture site.

DATE _____ TIME _____

LOCATION _____

NAME _____

ADDRESS _____

CITY _____

STATE _____

ZIP _____

PHONE _____

TELETYPE _____

TELEFAX _____

EMAIL _____

WEBSITE _____

MOBILE _____

PAGER _____

WORK _____

HOME _____

FAX _____

CELL _____

INTERNET _____

OTHER _____

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm. TOE CLIP# 8

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 60

DATE OCT 3 1961 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0925 CLOUDS(% overcast) 40 (thin)

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION N ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 31.6 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP 31.6 °C

HABITAT COASTAL SAGE SCRUB

CHASE 6 FEET

REMARKS: Released at capture site
In sun on a rock

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# 14

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE OCT 3 1981 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0940 CLOUDS(% overcast) 40 (thin)

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION N ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 31.2 °C AIR TEMP(1 cm) 29.0 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.4 °C


ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP 25.0 °C

HABITAT COASTAL SAGE SCRUB

CHASE 10 FEET

REMARKS: Released at capture site

In shade on a rock



SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. - SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE OCT 3 1961 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1115 CLOUDS(% overcast) 40 (thin)

MOON - RELATIVE HUMIDITY(%) _____

WIND DIRECTION N ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.4 °C AIR TEMP(1 cm) 34.0 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.6 °C


ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP 34.8 °C

HABITAT COASTAL SAGE SCRUB

CHASE 1 FEET

REMARKS: Released at capture site

In broken shade on a rock



SPECIES SCELOPORUS ORCUTTI TAG NO.

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE OCT 3 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1120 CLOUDS(% overcast) 40 (thin)

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION N ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 34.4 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 37.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE 20 FEET

REMARKS: Released at capture site

In shade on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. B76 SEX ♀ AGE juv. TOE CLIP# 20

WEIGHT(gms) 1.7 SNOUT-VENT LENGTH(mm) 35

DATE NOV 2 1961 SPEEDOMETER _____

LOCALITY Va/ Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1340 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 19.0 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 6 FEET

REMARKS: in sun on rock

Released at LSB, UCR 11/2/61.

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. B76 SEX ♂ AGE juv. TOE CLIP# 30

WEIGHT(gms) 2.6 SNOUT-VENT LENGTH(mm) 46

DATE NOV 2 1961 SPEEDOMETER _____

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1345 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 19.0 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.4 °C


ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 2 FEET

REMARKS: in sun on rock

Released at LSB, UCR 11/2/61.



SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 81

DATE NOV 3 1981 SPEEDOMETER _____

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1315 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

TEMP(30 in) 23.8 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: in sun on rock

Released at capture site

SPECIES SCELOPORUS ORCUTTI TAG NO.

CONTAINER NO. — SEX ♀ AGE juv. TOE CLIP# 12

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 35

DATE JAN 8 1983 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1425 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 22.4 °C AIR TEMP(1 cm) 25.8 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 26.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT rocky outcrop COASTAL SAGE SCRUB

CHASE 1 FEET

REMARKS: in sun in rock crevice

Released at capture site.

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. - SEX ♂ AGE ad TOE CLIP# 13

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 96

DATE JAN 8 1963 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1435 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.8 °C AIR TEMP(1 cm) 24.6 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 28.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT rocky outcrop COASTAL SAGE SCRUB

CHASE 3 FEET

REMARKS: in sun on rock

Very thin animal, but very active.

Perhaps it has just emerged from hibernation. Released at capture site.

SCELOPORUS ORCUTTI

SPECIES _____ TAG NO. _____

CONTAINER NO. _____ SEX ♀ AGE ad TOE CLIP# 10

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 89

DATE FEB 4 1963 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1345 CLOUDS(% overcast) 50

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 30.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

COASTAL SAGE SCRUB

HABITAT _____

CHASE 6 FEET

REMARKS: Released at capture site.

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. — SEX ♀ AGE juv. TOE CLIP# 14

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 37

DATE FEB 4 1963 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1325 CLOUDS(% overcast) 50

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 30.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 3 FEET

REMARKS: in sun on rock

Released at capture site.

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. - SEX ♀ AGE imm. TOE CLIP# 15

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE FEB 4 1963 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1348 CLOUDS(% overcast) 50

MOON - RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 30.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C


HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: in sun on rock

Released at capture site.

SPECIES SCHELOPORUS ORCUTTI TAG NO. _____
CONTAINER NO. — SEX ♂ AGE imm. TOE CLIP# 16
WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____
DATE FEB 4 1963 SPEEDOMETER _____
LOCALITY UCR
COUNTY RIVERSIDE CALIFORNIA
STANDARD TIME 14 00 CLOUDS(% overcast) 50
MOON — RELATIVE HUMIDITY(%) _____
WIND DIRECTION SW ALTITUDE(ft) 1200
WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C
AIR TEMP(30 in) 30.5 °C AIR TEMP(1 cm) _____ °C
SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.6 °C
ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C
HABITAT COASTAL SAGE SCRUB
CHASE 30 FEET
REMARKS: Released at capture site.



SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. R21 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 99

DATE JAN 8 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1045 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

IR TEMP(30 in) 17.6 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 27.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL BAY SCRUB

CHASE 5 FEET

REMARKS: in sun on rock

Given To Herb Brown

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. R 21 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 101

DATE JAN 8 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1047 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

TEMP(30 in) 17.6 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 6 FEET

REMARKS: in sun on rock

Given to Herb Brown

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

SUBJECTS

(continued from page 10)

2000

L'ESPRESSO 27 SETTEMBRE 1992 127

1. *Figures 1 and 2* 2. *Figures 3 and 4*

DOI: 10.1002/for

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. R21 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 97

DATE JAN 8 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1120 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

TEMP(30 in) 17.6 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 25.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 20 FEET

REMARKS: in partial shade

Given to Herb Brown

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. R21 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 104

DATE JAN 8 1984 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1140 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

TEMP(30 in) 17.6 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 30.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL EDGE SCRUB

CHASE 4 FEET

REMARKS: in sun on rock

Given to Herb Brown

100-100000-100000

100000

100000

100000

100000

100000

100000

100000

100000

100000

100000

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 71

DATE JAN 16 1964 SPEEDOMETER _____

LOCALITY UCKR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1230 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

TEMP(30 in) 17.2 °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: Released



SPECIES SCeloporus orcutti TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 76

DATE JAN 16 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1235 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 20 FEET

REMARKS: Released

SCeloporus orcutti

SPECIES _____ TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE JAN 16 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1250 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 20 FEET

REMARKS: Released

DATE _____

TIME _____

LOCATION _____

WEATHER _____

MOON _____

WIND _____

TEMPERATURE _____

RELATIVE HUMIDITY _____

WIND DIRECTION _____

WIND VELOCITY (m/sec) _____

WIND VELOCITY (mi/hr) _____

WIND VELOCITY (km/hr) _____

WIND VELOCITY (ft/sec) _____

WIND VELOCITY (m/s) _____

WIND VELOCITY (km/h) _____

WIND VELOCITY (mi/h) _____

WIND VELOCITY (ft/s) _____

WIND VELOCITY (m/s) _____

WIND VELOCITY (km/h) _____

WIND VELOCITY (mi/h) _____

WIND VELOCITY (ft/s) _____

WIND VELOCITY (m/s) _____

WIND VELOCITY (km/h) _____

WIND VELOCITY (mi/h) _____

SPECIES SCeloporus orcutti TAG NO. _____

CONTAINER NO. - SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE JAN 16 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1255 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 10 FEET

REMARKS: Released

_____ OF THE _____

_____ IN THE _____

_____ (COUNTY OF _____)

_____ (COUNTY OF _____)

_____ (COUNTY OF _____)

_____ (COUNTY OF _____)

_____ (COUNTY OF _____)

_____ (COUNTY OF _____)

_____ (COUNTY OF _____)

_____ (COUNTY OF _____)

_____ (COUNTY OF _____)

_____ (COUNTY OF _____)

_____ (COUNTY OF _____)

_____ (COUNTY OF _____)

_____ (COUNTY OF _____)

_____ (COUNTY OF _____)

_____ (COUNTY OF _____)

_____ (COUNTY OF _____)

_____ (COUNTY OF _____)

_____ (COUNTY OF _____)

_____ (COUNTY OF _____)

_____ (COUNTY OF _____)

SPECIES SCOPOLINUS ORIGINI TAG NO. _____

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 92

DATE JAN 16 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1310 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 27.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: under rock ledge — only tail visible.
Released.

SPECIES SCOTOPHILA VENTRIS TAG NO. _____

CONTAINER NO. - SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 72

DATE JAN 16 1964 SPEEDOMETER _____

LOCALITY UCK

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1315 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: Released

THE
STATE OF
NEW YORK
IN SENATE
JANUARY 1, 1901
REPORT
OF THE
COMMISSIONERS OF THE
LAND OFFICE
IN RESPONSE TO
A RESOLUTION
PASSED BY THE SENATE
MAY 1, 1899
AND
CONFIRMED BY THE SENATE
JANUARY 1, 1901
ALBANY:
J. B. LIPPINCOTT & CO.
PRINTERS
1901

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. - SEX ♀ AGE Juv. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 37

DATE JAN 16 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1320 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 3 FEET

REMARKS: Released

SPECIES SCOTOPHIS DUCUIT TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE JAN 16 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1330 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 4 FEET

REMARKS: Released

SPECIES SCeloporus orcutti TAG NO. _____

CONTAINER NO. - SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE JAN 16 1984 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1340 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 10 FEET

REMARKS: Released

DATE _____

NAME OF _____

ADDRESS _____

CITY _____

STATE _____

COUNTRY _____

TELEPHONE _____

TELETYPE _____

TELEFAX _____

TELEGRAM _____

TELEVISION _____

TELETYPE _____

TELEFAX _____

TELEGRAM _____

TELEVISION _____

TELETYPE _____

TELEFAX _____

TELEGRAM _____

TELEVISION _____

TELETYPE _____

TELEFAX _____

TELEGRAM _____

TELEVISION _____

SPECIES SCOPOLOPHIS SUBSERPENS TAG NO.

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 83

DATE JAN 18 1984 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1345 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 32.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE 20 FEET

REMARKS: Released

DATE _____ TIME _____

STATION _____ ON STATION _____

REPORTED BY _____ (NAME) _____

STATION _____ TIME _____

STATION _____ TIME _____

STATION _____ TIME _____

STATION _____ TIME _____

STATION _____ TIME _____

STATION _____ TIME _____

STATION _____ TIME _____

STATION _____ TIME _____

STATION _____ TIME _____

STATION _____ TIME _____

STATION _____ TIME _____

STATION _____ TIME _____

STATION _____ TIME _____

STATION _____ TIME _____

STATION _____ TIME _____

STATION _____ TIME _____

STATION _____ TIME _____

STATION _____ TIME _____

STATION _____ TIME _____

SPECIES SCELOPORUS CROZIERI TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 77

DATE JAN 16 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1355 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: Released

SPECIES DELOPHOSOMUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 77

DATE JAN 16 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1405 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 30 FEET

REMARKS: Released

SPECIES SCELOPORUS CROCEUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 72

DATE JAN 16 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1410 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL EAGE SCRUB

CHASE 3 FEET

REMARKS: Released

SPECIES SCeloporus orcutti TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE JAN 18 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1415 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 30.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 3 FEET

REMARKS: Released

SPECIES SCELOPORUS ORCUTT TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 83

DATE JAN 16 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1430 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 30.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 20 FEET

REMARKS: Released

SPECIES SCeloporus orcutti TAG NO. _____

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 91

DATE JAN 18 1984 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1500 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 25.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SERUD

CHASE 0 FEET

REMARKS: Released

SPECIES SCeloporus orcutti TAG NO. _____

CONTAINER NO. R21 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 99

DATE FEB 4 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1020 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.8 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COACTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: in shade on rock

Given to Herb Brown

STATE OF _____

COUNTY OF _____

IN SENATE,

January 1, 1901.

REPORT

OF THE

COMMISSIONERS OF THE LAND OFFICE

IN RESPONSE TO A RESOLUTION PASSED BY THE SENATE, MAY 1, 1899.

ALBANY:

THE STATE PRINTING OFFICE,

1901.

SPECIES SCOLOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. R21 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 101

DATE FEB 6 1954 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1100 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.8 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 29.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 50 FEET

REMARKS: Given to Herb Brown

SPECIES SCHELOPORUS ORCUTI TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 110

DATE FEB 24 1964 SPEEDOMETER _____

LOCALITY UCK

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1405 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: Released

DATE _____

TIME _____

LOCATION _____

DATE _____

TIME _____

LOCATION _____

DATE _____

TIME _____

LOCATION _____

DATE _____

TIME _____

LOCATION _____

DATE _____

TIME _____

LOCATION _____

DATE _____

TIME _____

LOCATION _____

DATE _____

TIME _____

LOCATION _____

DATE _____

SPECIES SCOLOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. - SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE FEB 24 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1420 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 3 FEET

REMARKS: Released

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 83

DATE FEB 24 1984 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1420 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 2 FEET

REMARKS: Released

DATE

TIME

LOCATION

AGE

SEX

CHARACTER OF INJURY

DEGREE OF INJURY

CAUSE OF INJURY

DETAILS

DATE

TIME

LOCATION

TIME

CHARACTER OF INJURY

CAUSE OF INJURY

DEGREE OF INJURY

DATE

LOCATION

TIME

CHARACTER OF INJURY

CAUSE OF INJURY

DEGREE OF INJURY

CAUSE OF INJURY

CHARACTER OF INJURY

CAUSE OF INJURY

DEGREE OF INJURY

CAUSE OF INJURY

DATE

TIME

LOCATION

SPECIES SCELOPORUS ORCUTII TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE FEB 24 1964 SPEEDOMETER _____

LOCALITY UCKR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1430 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 29.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 1 FEET

REMARKS: Released

DATE

TIME

FIELD NO.

LOCALITY

COLLECTOR

PLANT

DATE

TIME

LOCALITY

PLANT

DATE

LOCALITY

DATE

PLANT

DATE

PLANT

DATE

PLANT

DATE

PLANT

DATE

PLANT

DATE

DATE

TIME

DATE

DATE

SPECIES SCOPOLIA ONCUTI TAG NO. _____

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 95

DATE FEB 24 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1435 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: Released

SPECIES SCILOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. - SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 87

DATE FEB 24 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1440 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 1 FEET

REMARKS: Released

SPECIES CELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 86

DATE FEB 24 1964 SPEEDOMETER _____

LOCALITY UCKR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1445 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: Released

SPECIES SCeloporus orcutti TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 111

DATE FEB 24 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1450 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 6 FEET

REMARKS: Released

NAME _____

ADDRESS _____

CITY _____

STATE _____

ZIP _____

DATE _____

REASON FOR _____

RELATIVE _____

RELATIVE _____

RELATIVE _____

RELATIVE _____

RELATIVE _____

RELATIVE _____

RELATIVE _____

RELATIVE _____

RELATIVE _____

RELATIVE _____

RELATIVE _____

RELATIVE _____

RELATIVE _____

RELATIVE _____

RELATIVE _____

RELATIVE _____

RELATIVE _____

SPECIES SCeloporus orcutti TAG NO. _____

CONTAINER NO. - SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 97

DATE FEB 24 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1455 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 29.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 2 FEET

REMARKS: Released

Recaptured at 1500 — cloacal temp. then
was 30.0°C. (no chase).

SCeloporus orcutti

SPECIES _____ TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 63DATE FEB 24 1964 SPEEDOMETER _____LOCALITY UCRCOUNTY RIVERSIDE CALIFORNIASTANDARD TIME 1500 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °CAIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °CSOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUBCHASE 0 FEETREMARKS: Released

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 66

DATE FEB 24 1984 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1500 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: Released

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 69

DATE FEB 24 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1505 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 30.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: Released

SPECIES SCeloporus orcutti TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 106

DATE FEB 24 1984 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1510 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 1 FEET

REMARKS: Released

Recaptured at 1530 (no chase) — cloacal
Temp. then was 32.0°C.

SPECIES SCOLIDORUS ORCUTTI TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 65

DATE FEB 24 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1520 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 10 FEET

REMARKS: Released

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 63

DATE FEB 24 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1525 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 30.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 5 FEET

REMARKS: Released

SPECIES SCeloporus orcutti TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE FEB 24 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1525 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 6 FEET

REMARKS: Released

THE
STATE OF
NEW YORK
IN SENATE
JANUARY 1, 1901
REPORT
OF THE
COMMISSIONERS OF THE
LAND OFFICE
IN RESPONSE TO
A RESOLUTION
PASSED BY THE SENATE
MAY 1, 1899
ALBANY:
J. B. LEECH, PRINTERS
1901

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 68

DATE FEB 24 1964 SPEEDOMETER _____

LOCALITY UCK

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1530 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: Released

SPECIES *Sceloporus orcutti*

No.	Sex	Weight (gms)	Length (mm.)	Locality	Date	breeding colors (bright)
1	♂		106	UCR campus, Riverside, Calif	7/3/58	
2	♀		90	"	"	
3	♂		94	"	"	
4	♀		82	"	"	
5	♀		88	"	"	
6	♀		90	"	7/7/58	
7	♀		86	"	"	
8	♂		108	"	"	breeding colors (bright)
9	♂		85	"	"	
10	♀		81	"	"	
11	♂		94	"	"	released from lizard cage.
12	♂		98	"	"	released from lizard cage
13	♀		94	"	"	

SPECIES

Sceloporus orcutti

No.	Sex	Weight (gms)	Length (mm.)	Locality	Date	
14	♂		105	UCR campus, Riverside, Calif.	7/8/58	lower back lacks breeding color.
15	♀		84	"	"	
16	♂		101	"	"	
17	♂		97	"	"	
18	♀		95	"	"	
19	♀		92	"	"	missing left hind foot. Returned 9/2/58.
20	♂		67	"	7/9/58	immature
21	♀		61	"	"	"
22	♂		95	"	7/14/58	
23	♀		88	"	"	
24	♀		63	"	"	released from lizard cage
25	♀			"	7/10/58	
26	♀		82	"	7/14/58	released from lizard cage

SPECIES Sceloporus orcutti

No.	Sex	Weight (gms)	Length (mm.)	Locality	Date	
27	♂		95	UCR campus, Riverside, Calif.	7/15/58	
28	♀		85	"	"	
29	♂		88	"	7/16/58	
30	♂		113	"	"	full breeding color
31	♂		94	"	"	
32	♀		86	"	"	
33	♂		90	"	7/3/58	
34	♂		62	"	7/16/58	imm.
35	♂		92	"	7/12/58	caught near greenhouse
36	♂		70	"	7/16/58	imm.
37	♀		92	"	7/29/58	
38	♂		106	"	7/16/58	
39	♀		86	"	"	returned to rock 9/2/58

No.	Sex	Weight (gms)	Length (mm.)	Locality	Date	
40	♀		68	UCR campus, Riverside Co., Calif.	7/16/58	imm.
41	♂		68	"	"	imm.
42	♀		66	"	"	imm.
43	♀		78	"	"	imm.
44			65	"	7/17/58	imm.
45	♂		109	"	7/18/58	just molted. regenerating tail.
46	♂(?)		64	"	"	imm.
47	♀		59	"	7/22/58	imm.
48	♀		63	"	"	imm.
49	♂		104	"	7/29/58	breeding colors.
50	♂		65	"	"	imm.
51	♂		85	"	"	caught by headhouse. (#1)
52	♂		62	"	7/30/58	imm.

SPECIES

Sceloporus orcutti

No.	Sex	Weight (gms)	Length (mm.)	Locality	Date	
53	♀		66	UCR campus, Riverside Co., Calif.	7/30/58	imm.
54	♀		95	"	7/31/58	Partly molted.
55	♀		85	"	"	
56	♀		84	"	"	
57	♀		85	"	8/4/58	
58	♂		82	"	"	lost its tail during capture.
59	♀		93	"	"	
60	♀		74	"	7/31/58	
61	♀		70	"	8/6/58	imm.
62	♂		95	"	"	
63	♂		92	"	"	molted
64	♀		65	"	"	imm.
65	♀		75	"	8/7/58	imm.

SPECIES

Sceloporus orcutti

No.	Sex	Weight (gms)	Length (mm.)	Locality	Date	
66	♂		86	UCR campus, Riverside Co., Calif.	8/7/58	
67	♀		74	"	"	imm.
68	♀		86	"	"	
69	♀		93	"	"	
70	♀		91	"	7/17/58	caught near greenhouses.
71	♂		105	"	8/8/58	breeding colors
72	♂		92	"	"	ant. 1/2 of body molted.
73	♀		70	"	8/6/58	imm.
74	♂		70	"	8/8/58	imm.
75	♂		83	"	"	
76	♀		86	"	"	lost tail in capture.
77	♀		98	"	"	
78	♂		68	"	"	imm. released 50' S.W. of pt. of capture.

[illegible]

Sceloporus orcutti

[illegible]

Sceloporus

orcutti
Date Recaptured

UCR campus, Riverside Co., Calif

No.	Date	Recaptured	Date Recaptured
65 (♀)	8/7/58	1/18/61	
63 (♂)	8/6/58	1/31/61	
29 (♂)	7/16/58	2/7/61	
3 (♂)	7/3/58	2/21/61	

Sceloporus orcutti
Date Recaptured

(# still
readable)

7/7/58

13 (♀)

4/11/59

7/7/58

8 (♂)

7/7/59

7/16/58

31 (♂)

7/7/59

9/4/58

201 (♀)

5/24/60

179 (E)

(crossed 2
roads)

0

80 (SE)

?

UCR campus

UCR campus

Sceloporus orcutti
Date Resighted

2 (♀)	7/3/58	7/7/58	7/22/58	7/23/58	7/25/58	0	0	58	30	58
5 (♀)	7/3/58	7/7/58	7/15/58	7/25/58		0	100	154		
33 (♂)	7/3/58	7/7/58	7/22/58	7/23/58	7/23/58	0	0	0	30	0
1 (♂)	7/3/58	7/8/58	7/10/58	7/15/58	7/24/58	30	0	40	118	4
12 (♂)	7/7/58	7/8/58	8/7/58			20	600+			
7 (♀)	7/7/58	7/9/58	7/9/58	7/10/58	7/15/58	0	20	0	0	0
8 (♂)	7/7/58	7/9/58	7/10/58	7/24/58	7/25/58	20	0	57	0	150
0 (♂)	7/8/58	7/9/58				0				
13 (♀)	7/7/58	7/9/58	7/10/58	7/16/58	7/23/58	0	0	0	0	0

Sceloporus orcutti		Date Resighted		UCR campus	
16 (♂)	7/8/58	7/10/58	7/24/58	129	129
18 (♀)	7/8/58	7/15/58	7/24/58	0	0
11 (♂)	7/7/58	7/15/58		92	
14 (♂)	7/8/58	7/16/58	7/23/58	65	90
44 (imm)	7/17/58	7/18/58	7/22/58	0	0
127 (♀)	7/15/58	7/16/58	7/22/58	0	0
3 (♂)	7/3/58	7/23/58	7/25/58	15	26
17 (♂)	7/8/58	7/23/58	7/24/58	0	135
240 (♂)	7/22/58	7/24/58	8/4/58	0	10
			8/6/58	0	0
			8/20/58		

Sceloporus orcutti
Date Resighted

2)	33 (♂)	7/3/58	7/24/58	7/25/58	10	30
	(imm.) 41 (♂)	7/16/58	7/24/58		150	
	(imm.) 50 (♂)	7/29/58	8/4/58	8/6/58	0	0
	(imm.) 52 (♂)	7/29/58	8/4/58		0	
	(imm?) 60 (♀)	7/31/58	8/4/58		0	
	imm. 43 (♀)	7/16/58	8/4/58	4/11/59	0	0
	51 (♂)	7/29/58	8/4/58		20	
	56 (♀)	7/31/58	8/4/58		0	
	100 (♀)	7/16/58	8/6/58		0	

38 (♂)	7/16/58	8/6/58	130	
29 (♂)	7/16/58	8/6/58	0	0
(imm.) 21 (♀)	7/9/58	8/7/58	0	
30 (♂)	7/16/58	8/7/58	75	
31 (♂)	7/16/58	7/17/58	0	
<u>21</u> 7 (♀)	7/7/58	7/24/58 7/25/58	0	116 150
63 ♂	8/6/58	8/20/58	50	
36 (♂) (imm.)	7/16/58	4/11/59	0	
<u>21</u> 18 (♀)	7/8/58	7/25/58 7/25/58	116	172

Sceloporus orcutti UCR campus

Date Resighted

40 (♀) (imm) 7/16/58 7/25/58

6

Locality
Approx. Distance from Highway 211

5

4

3

2

1

0

1

2

Distances Measured (feet)

65 to (65) — 276
8 to Temp. recording rock — 57
16 to 0 — 129
1 to 12 — 118
3 to 6 — 26
3 to (3) — 210
63 to (63) — 57
29 to (29) — 280
13 to (13) — 179
14 to 13 — 65
14 to 41 — 90
5 to 1st outcrop east — 90
11 to same as above — 92
5 to 30 ft. west of 40 — 154
1 to 1st outcrop east — 40
17 to (17) — 135
1 to 33 — 172
40 to 11 — 48
15 to 41 — 10
13 to 15 — 20
13 to 41 — 30
38 to 43 — 130
2 to 33 — 28
7 to 0 — 116
1 to 18 — 32
67 to 81 — 14
1 to 0 — 116

13 = # of rock that animal caught on first.

(13) = place where that numbered animal seen or caught later.

Snakes

Snakes

SPECIES Arizona elegans TAG. NO. _____

CONTAINER NO. R14 SEX _____ AGE ad? TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE April 7, 1961 SPEEDOMETER 46219

LOCALITY 4 mi. S.E. of Desert Hot Springs

COUNTY Riverside CALIF.

STANDARD TIME 2045 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION W ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 15.5 °C

AIR TEMP(30 in) 15.8 °C AIR TEMP(1 cm) 16.6 °C

SOIL SURFACE TEMP 15.5 °C CLOACAL TEMP 16.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: in road

Released near 1000 Palms 4/14/61.

SPECIES Chionactis occipitalis TAG. NO. _____

CONTAINER NO. — SEX — AGE imm. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE April 11, 1960 SPEEDOMETER 34762

LOCALITY 22 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1430 CLOUDS(% overcast) 100

MOON — RELATIVE HUMIDITY(%) 20

WIND DIRECTION S. W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 9-12 ROAD TEMP. _____ °C

AIR TEMP(30 in) 25.8 °C AIR TEMP(1 cm) 27.8 °C

SOIL SURFACE TEMP 29.8 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: found under small log. ~ 1/2 grown —

Too small to get cloacal temp.

SPECIES Chionactis occipitalis TAG NO. _____

CONTAINER NO. R37 SEX _____ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE JUN 7 1961 SPEEDOMETER 2995

LOCALITY 9 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2120 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 32.5 °C

AIR TEMP(30 in) 29.0 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: on pavement. Sent to Ken Norris
at UCLA.

THE
STATE OF
NEW YORK
IN SENATE
JANUARY 1, 1901
REPORT
OF THE
COMMISSIONERS OF THE
LAND OFFICE
IN RESPONSE TO
RESOLUTION PASSED
MAY 1, 1899
ALBANY:
J.B. LIPPINCOTT & CO.
PRINTERS
1901

SPECIES Chionactis occipitalis TAG NO. _____

CONTAINER NO. R29 SEX _____ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE June 7, 1961 SPEEDOMETER _____

LOCALITY 7 mi. W. of Glamis

COUNTY Imperial CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE _____ FEET

REMARKS: in trap. Sent to Ken Norris at
UCLA.

SPECIES Chionactis occipitalis TAG NO. _____

CONTAINER NO. R16 SEX _____ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE JUN 15 1961 SPEEDOMETER _____

LOCALITY 22 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C


ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: caught in trap - no red on snake.

Sent to Ken Norris at UCLA



SPECIES Chionactis occipitalis TAG NO. _____

CONTAINER NO. B35 SEX _____ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE July 10, 1961 SPEEDOMETER _____

LOCALITY 10 mi. W. of Glamis

COUNTY Imperial CALIFORNIA

STANDARD TIME 1930 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 38.4 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP 39.8 °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: on pavement at dusk (sundown-1850)

SPECIES Chionactis pararostri TAG NO. _____

CONTAINER NO. B60 SEX _____ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE JUN 5 1961 SPEEDOMETER 2517

LOCALITY 4 mi. N. of Lukeville

COUNTY Pima Arizona
CALIFORNIA

STANDARD TIME 2040 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT saharo forest

CHASE 0 FEET

REMARKS: on pavement

1. The first part of the document is a letter from the President of the United States to the Congress, dated January 3, 1801. It is a very important document, as it is the first time that the President has addressed the Congress since the establishment of the office.

2. The second part of the document is a report from the Secretary of the Treasury, dated January 10, 1801. It contains information about the state of the nation's finances, and is a very important document for understanding the economic situation of the country at that time.

3. The third part of the document is a report from the Secretary of the Navy, dated January 10, 1801. It contains information about the state of the navy, and is a very important document for understanding the military situation of the country at that time.

4. The fourth part of the document is a report from the Secretary of the War, dated January 10, 1801. It contains information about the state of the army, and is a very important document for understanding the military situation of the country at that time.

5. The fifth part of the document is a report from the Secretary of the Interior, dated January 10, 1801. It contains information about the state of the interior, and is a very important document for understanding the political situation of the country at that time.

SPECIES

Crotalus cerastes

SACK NO.

SEX

AGE

WEIGHT(gms)

SNOUT-VENT LENGTH (mm)

Mileage from Hwy. 60 + 70 Turnoff,
going NW.

DATE

3/31/59

SPEEDOMETER

18 mi.

LOCALITY

Road parallel to Colorado River Aqueduct, alongsouthern border of Joshua Tree Nat. Mon.

STANDARD TIME

21:00

CLOUDS

NoneWet - 53.5 ; 75.5

MOON

None

RELATIVE HUMIDITY(%)

WIND DIRECTION

S.E

ALTITUDE(ft)

?

WIND VELOCITY (miles/hour)

1-2

TAG NO.

AIR TEMPERATURE

24.5

°C

20.5

°F

ROAD TEMPERATURE

20.5

°C

°F

SOIL SURFACE TEMPERATURE

°C

°F

CLOACAL TEMPERATURE

°C

°F

HABITAT

Rocky desert, sparsely covered.

REMARKS:

After once being moved by noose, it became
active and difficulties in catching it became apparent.
There was no striking although it did coil twice.
(Preserved for collection)

SPECIES Crotalus cerastes TAG. NO. _____

CONTAINER NO. - SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE Aug. 31, 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME 0820 CLOUDS(% overcast) 0

MOON - RELATIVE HUMIDITY(%) 30

WIND DIRECTION 0 ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.5 °C AIR TEMP(1 cm) 35.3 °C

SOIL SURFACE TEMP 40.2 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: uncoiled in shade of Ephedra and

creosote bush on surface of sand. Soil
surface temp. at that spot - 36.0°C.

After about 10 min. in sun on the sand, its
cloacal temp. was 43.0°C. David Reuther
kept it for his collection.

SPECIES Crotalus cerastes TAG. NO. _____

CONTAINER NO. — SEX — AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE April 11, 1960 SPEEDOMETER 34784

LOCALITY San Berdo - Riverside G./line, 42 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1745 CLOUDS(% overcast) 80

MOON — RELATIVE HUMIDITY(%) 55

WIND DIRECTION S.W. ALTITUDE(ft.) 1217

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.6 °C AIR TEMP(1 cm) 22.2 °C

SOIL SURFACE TEMP 22.4 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE — FEET

REMARKS: Seen lying stretched out full length
on open sand. Sun was gone for the day
behind a dense cloud mass. The car was
parked within 30 feet of the spot for 25
minutes before it was seen (we were cooking
dinner). Frank took the animal a couple
of hundred feet away and released it.



SPECIES Crotalus ^{mitchelli;} ~~atrox~~ TAG. NO. ~~#257~~

CONTAINER NO. — SEX ♂ AGE ad. TOE CLIP# —

WEIGHT(gms) — SNOUT-VENT LENGTH(mm) —

DATE April 12, 1960 SPEEDOMETER 34934

LOCALITY 5 mi. S. of Palo Verde

COUNTY ~~Re~~ Imperial CALIF.

STANDARD TIME 1630 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 50

WIND DIRECTION S.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. — °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 26.4 °C

SOIL SURFACE TEMP 31.6 °C CLOACAL TEMP — °C

ROCK SURFACE TEMP — °C SUBSTRATE TEMP — °C

HABITAT Desert wash

CHASE 6 FEET

REMARKS: in middle of dirt road

Possessed 6 rattles and a button

Placed in Zoology 146 collection.

SPECIES Crotalus ruber TAG NO. _____

CONTAINER NO. _____ SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ ^{Total}
~~SNOUT-VENT~~ LENGTH(^{in.}~~mm~~) 54

DATE Feb. 25, 1961 SPEEDOMETER _____

LOCALITY UCR campus

COUNTY Riverside CALIFORNIA

STANDARD TIME 1045 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: under a ledge of rock, and hidden
by dried perennial vegetation. At least 4
students walked within 3 feet of its hiding
place before I saw it. It took at least 15
minutes to get collecting gear, but it didn't
move during that time (students all around it). It
never struck and rattled only after I got the
hoose on it. It is being preserved in an extended
condition.

SPECIES Crotalus viridis TAG. NO. 249-C

CONTAINER NO. — SEX ♂ AGE Ad TOE CLIP # (46.5")
WEIGHT(gms) — SNOUT-~~VENT~~^{TAIL} LENGTH(mm) 1180

DATE MAY 15 1960 SPEEDOMETER —

LOCALITY Marion Butler Campground

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1130 CLOUDS(% overcast) 50

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 7500

WIND VELOCITY(mi/hr) 0 ROAD TEMP. — °C

AIR TEMP(30 in) 9.5 °C AIR TEMP(1 cm) 16.0 °C


SOIL SURFACE TEMP — °C CLOACAL TEMP — °C

ROCK SURFACE TEMP 32.0 °C SUBSTRATE TEMP — °C

HABITAT Yellow Pine Forest

CHASE 0 FEET

REMARKS: Under ledge on large boulder.
In shade - Lying side by side with another,
smaller C. viridis. A third was under another
ledge within 10 ft. Laid in same spot for
over 30 min after being seen and before
capture. Very active and vicious when
provoked in spite of low temperature.



SPECIES Hypsiglena torquata TAG. NO. _____

CONTAINER NO. — SEX ♂ AGE ad? TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE May 9, 1960 SPEEDOMETER 39316

LOCALITY 11 mi. E. of Glamis

COUNTY Imperial CALIF.

STANDARD TIME 2010 CLOUDS(% overcast) 0

MOON Full RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. 32.0 °C

AIR TEMP(30 in) 28.2 °C AIR TEMP(1 cm) 30.0 °C


SOIL SURFACE TEMP 27.0 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT desert wash

CHASE 0 FEET

REMARKS: on pavement — appeared to have
been injured previously. Preserved at site
of capture in formalin.



SPECIES Lampropeltis getulus TAG NO. _____

CONTAINER NO. 01 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 18 1962 SPEEDOMETER _____

LOCALITY Bautista Canyon

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 2450

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CHAPARRAL

CHASE _____ FEET

REMARKS: caught by field zool. class

(Striped phase)

Added to field zool. collection

DATE

1941

STATE OF

THE

OF

THE

(SIGNED)

(SIGNED)

BY

(SIGNED)

WITNESSES

THE

(SIGNED)

DATE OF

(SIGNED)

TO

(SIGNED)

(SIGNED)

(SIGNED)

(SIGNED)

(SIGNED)

(SIGNED)

(SIGNED)

(SIGNED)

(SIGNED)

(SIGNED)

(SIGNED)

WITNESSES

(SIGNED)

(SIGNED)

SPECIES Masticophis flagellum TAG NO. 111
CONTAINER NO. R22 SEX ♂ AGE ad. TOE-CLIP #
WEIGHT(gm) SNOUT-VENT LENGTH(mm) 61
DATE Apr. 25, 1959 SPEEDOMETER 27136
LOCALITY 5 mi. W. of Glamis
COUNTY Imperial STATE Calif.
STANDARD TIME 1210 CLOUDS(% overcast) 100
MOON — RELATIVE HUMIDITY(%) 39
WIND DIRECTION S. W. ALTITUDE(ft.) 300
WIND VELOCITY(mi./hr.) 1-3 ROAD TEMP. °C
AIR TEMP (30 in) 26.5 °C AIR TEMP(1 cm) 29.5 °C
SURFACE TEMP 36.8 °C CLOACAL TEMP °C
SOIL SURFACE TEMP °C
HABITAT sand dune

REMARKS: sitting on sand at edge of hole
(in sand at mouth of hole)
Reproductive organs could not be
located.

SPECIES Phyllorhynchus browni TAG NO. _____

CONTAINER NO. B 22 SEX _____ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE JUN 5 1961 SPEEDOMETER 2556

LOCALITY 3 mi. N. of Ajo

COUNTY Pima CALIFORNIA

STANDARD TIME 2230 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

DATE

CONTAINER NO. 123456789

SHIPMENT NO. 123456789

DATE OF SHIPMENT 12/12/2023

SHIPMENT NO. 123456789

DATE OF SHIPMENT 12/12/2023

SHIPMENT NO. 123456789

DATE OF SHIPMENT 12/12/2023

SHIPMENT NO. 123456789

DATE OF SHIPMENT 12/12/2023

SHIPMENT NO. 123456789

DATE OF SHIPMENT 12/12/2023

SHIPMENT NO. 123456789

DATE OF SHIPMENT 12/12/2023

SHIPMENT NO. 123456789

DATE OF SHIPMENT 12/12/2023

SHIPMENT NO. 123456789

DATE OF SHIPMENT 12/12/2023

SHIPMENT NO. 123456789

DATE OF SHIPMENT 12/12/2023

SHIPMENT NO. 123456789

DATE OF SHIPMENT 12/12/2023

Phyllorhynchus decurtatus

Bottle

SACK NO.

2

SEX

AGE

young (juv.)

WEIGHT(gms)

SNOUT-VENT LENGTH (mm) 160

DATE

Aug. 23, 1958

SPEEDOMETER

10548

LOCALITY

1 mi. E. of eastern boundary of Anza-Borrego State Park, San Diego Co., Calif.

STANDARD TIME

0120

CLOUDS

none

MOON

none

RELATIVE HUMIDITY(%)

WIND DIRECTION

W

ALTITUDE(ft)

825

WIND VELOCITY(miles/hour)

5-8

TAS NO.

AIR TEMPERATURE

29.4

°C

85

°F

ROAD TEMPERATURE

30

°C

86

°F

SOIL SURFACE TEMPERATURE

27.5

°C

81.5

°F

CLOACAL TEMPERATURE

°C

°F

HABITAT

flat open desert; creosote, ocotillo.

REMARKS:

young of year

Phyllorhynchus decurtatus

Bottle

SACK NO. 2

SEX

AGE young (juv.)

WEIGHT(gms)

SNOUT-VENT LENGTH (mm) 173

DATE Aug. 23, 1958

SPECIMEN NO. 10553

LOCALITY 1 mi. W. of Acotillo, Walls, San Diego
Co., Calif.

STANDARD TIME 0150

CLOUDS none

MOON none

RELATIVE HUMIDITY(%)

WIND DIRECTION W

ALTITUDE(ft) 400

WIND VELOCITY(miles/hour) 3-5

TAG NO.

AIR TEMPERATURE 31.1

°C

88

°F

ROAD TEMPERATURE 31

°C

87.8

°F

SOIL SURFACE TEMPERATURE 29

°C

84.2

°F

CLOACAL TEMPERATURE

°C

°F

HABITAT flat, open desert.

REMARKS: young of the year

SPECIES Phyllorhynchus decurtatus

SACK NO. — SEX — AGE imm.

WEIGHT(gms) — SNOUT-VENT LENGTH (mm) —

DATE April 23, 1959 SPEEDOMETER 26815

LOCALITY 5 mi. E. of 29 Palms, San Bernardino Co., Calif.

STANDARD TIME 2040 CLOUDS 100% (thin)

MOON full RELATIVE HUMIDITY(%) 30

WIND DIRECTION E. ALTITUDE(ft) 1975

WIND VELOCITY (miles/hour) 4-7 TAG NO. —

AIR TEMPERATURE (30") 24.9 °C (1cm) 24.0 °C

ROAD TEMPERATURE 24.0 °C °F —

SOIL SURFACE TEMPERATURE 23.2 °C °F —

CLOACAL TEMPERATURE — °C °F —

HABITAT creosote bush scrub

REMARKS: Ran over, so we threw it away.
(we ran over it.)

Phyllorhynchus decurtatus

B 23

SEX

AGE imm.

NO.

WEIGHT(gms)

SNOUT-VENT LENGTH(mm)

April 25, 1959

SPEEDOMETER 27251

6 mi. N.W. of 1000 Palms

Riverside

STATE

Calif.

STARTING TIME 1840

CLOUDS(% overcast)

100

MOON —

RELATIVE HUMIDITY(%)

40

WIND DIRECTION

N.W.

ALTITUDE(ft.)

760

WIND VELOCITY(mi./hr.)

18-20

ROAD TEMP.

23.0

°C

AIR TEMP (30 in)

23.0

°C

AIR TEMP(1 cm)

23.0

°C

SURFACE TEMP

23.0

°C

CLOACAL TEMP

°C

ROCK SURFACE TEMP

°C

HABITAT

creosote bush scrub

REMARKS

caught on pavement — dusk

Too young to section, so gave it away.

SPECIES *Phyllorhynchus decurtatus* NO.

CONTAINER NO. R8 SEX AD AGE ad. TOE-CLIP

WEIGHT(gms) SNOUT-VENT LENGTH(mm)

DATE May 15, 1959 SPEEDOMETER 6342

LOCALITY 5 mi. E. of Lucerne Valley

COUNTY San Bernardino STATE Calif.

STANDARD TIME 2035 CLOUDS(% overcast) 0

MOON 1/2 RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 3000

WIND VELOCITY(mi/hr) 5-7 ROAD TEMP. 22

AIR TEMP (30 in) 18 °C AIR TEMP(1 cm) 17.5 °C

SOIL TEMP 17 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT Creosote bush scrub

REMARKS Found on pavement, Run over.

Dead on arrival at U.C.R. Discarded

SPECIES *Phyllorhynchus decurtatus*
CONTAINER NO. — SEX — AGE imm. TOE-CLIP
WEIGHT(gms) SNOUT-VENT LENGTH(mm)

DATE May 23, 1959 SPEEDOMETER 3229

LOCALITY 3 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 2100 CLOUDS(% overcast) 0

MOON Full RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) ^{16 to 20} gusts to 32 ROAD TEMP. 20.0 °C

SOIL TEMP (30 in) 19.6 °C AIR TEMP(1 cm) 21.8 °C

WIND SURFACE TEMP °C CLOACAL TEMP °C

WIND SURFACE TEMP °C

HABITAT Creosote bush scrub.

REMARKS: Crossing road, wind blew it
twice before I could catch it.
Released because it was so small.

SPECIES Phyllorhynchus deantatus TAG. NO. _____

CONTAINER NO. B55 SEX _____ AGE Ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 21 1960 SPEEDOMETER _____

LOCALITY 37 mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 2030 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. W. ALTITUDE(ft.) 2200

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22 °C AIR TEMP(1 cm) 22.0 °C

SOIL SURFACE TEMP 23.2 °C CLOACAL TEMP _____ °C


ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: On pavement. Given to Bob

Roth



SPECIES Phyllorhynchus decurtatus TAG. NO. _____

CONTAINER NO. Y5 SEX _____ AGE Ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 21 1960 SPEEDOMETER _____

LOCALITY 44 mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 2215 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 1500

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) 21.6 °C AIR TEMP(1 cm) 21.6 °C

SOIL SURFACE TEMP 21.0 °C CLOACAL TEMP _____ °C


ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: On pavement. Given to Bob

Roth.



SPECIES Phyllorhynchus deantatus TAG. NO. _____

CONTAINER NO. Y5 SEX _____ AGE Ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 21 1960 SPEEDOMETER _____

LOCALITY 44 mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 2215 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION _____ ALTITUDE(ft.) 1500

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) 21.6 °C AIR TEMP(1 cm) 21.6 °C

SOIL SURFACE TEMP 21.0 °C CLOACAL TEMP 24.0 °C


ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: On sand beside road. Given to

Bob Roth.



SPECIES Phyllorhynchus decurtatus TAG NO. _____

CONTAINER NO. B38 SEX _____ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE JUN 5 1961 SPEEDOMETER 2579

LOCALITY 21 mi. S. of Gila Bend

COUNTY Maricopa Arizona
~~CALIFORNIA~~

STANDARD TIME 2345 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement. Sent to Ken Norris
at UCLA.

SPECIES Salvadora hexalepis TAG. NO. _____

CONTAINER NO. Y13 SEX _____ AGE _____ TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 21 1960 SPEEDOMETER _____

LOCALITY 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1635 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION W ALTITUDE(ft.) 2000

WIND VELOCITY(mi/hr) 15 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C


SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: On Pavement. Preserved for
student collection.



SPECIES Trimorphodon lambda TAG NO. _____

CONTAINER NO. B24 SEX _____ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE JUN 4 1961 SPEEDOMETER 2231

LOCALITY 54 mi. E. of San Luis

COUNTY Sonora Mexico
CALIFORNIA

STANDARD TIME 2030 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) _____

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT rocky desert slope

CHASE 0 FEET

REMARKS: on pavement

Trimorphodon lanei TAG NO. _____

SEX _____ AGE _____ TOE CLIP _____

SNOUT-VENT LENGTH (mm) _____

SPEEDOMETER _____

TY _____

CALIFORNIA _____

RD TIME _____ CLOUDS (& overcast) _____

RELATIVE HUMIDITY (%) _____

ALTITUDE (ft) _____ DIRECTION _____


VELOCITY (mi/hr) _____ ROAD TEMP. _____ °C

MP (30 in) _____ °C AIR TEMP (1 cm) _____ °C

SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

FEET _____



R-351

STEEL BACKPLATE

S. E. & M. VERNON, INC.

U. S. A.

